





Kanopé

(technical specification)


J56012



1- **The 95 x 95mm posts** are made of painted galvanised steel, ensuring robustness and durability.



2- **The 125mm diameter posts** are made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance. The caps are made of injection moulded polyamide.




3- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



4- **The slatted fences** are produced using post-consumer waste, mainly recycled food and drinks containers (polyethylene, aluminium). This environmental impact reducing material is an inert and robust compound which is hard-wearing, resistant to UV light and fluctuations in temperature, and able to retain its shape over time. It is also rot-proof, making it a reliable option for outdoor applications.



5- **The decorative fence panels** are made of 3mm thick painted aluminium sheets.



6- **The wall panels** are made of 3mm perforated aluminium sheet coated with a polyester epoxy lacquer.




7- **The panels** are made of stainless steel mesh netting, Ø 6mm.



8- **The platforms** are made from a 12.5mm thick textured and non-slip compact material (HPL).



9- **The soft ramp** is made of a woven strip with rubber surface.



10-**The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



11-**The 16mm diameter ropes** are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.



12-**The fittings** are made of polyamide and are used to link three cords together.



13-**The net fittings** are made of polyamide. The fittings are composed of two distinct parts for ease of maintenance of individual strands.



14-The **footrests** are made from rubber, 14mm thick.



15-The **slides** are made of rotomoulded polyethylene.



16-The **sliding surface** is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.




17-The **abacus spheres** are made of polycarbonate sheets.




18-The **seats** are made with a non-slip rubber overmould.



19-The **chains** are made of stainless steel.



20-The **distorting mirror** is made of 2mm thick polished stainless steel sheet.



21-The portholes are made from 8mm thick methacrylate (PMMA).



22-The porthole is made of shatter resistant thermoplastic (PMMA).



23-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.