



Oak

## BOWMAN™ OPTION B

Our rustic Oak Option B **Bowman™** information displays provide a highly visible, durable solution ideal for country parks, nature reserves, and woodland trails. Their natural appearance blends with outdoor landscapes while ensuring clear visibility for visitors.

These displays effectively welcome visitors, guide them with wayfinding information, and share unique facts about the site's natural history and heritage. They enhance the visitor experience by offering both practical and educational insights at key points along their journey.

### Product features

- Hardwood FSC Oak construction
- Tamper resistant fixings
- Removable graphic panel
- Preservative finish
- Standard sizes A3, A2, A1 and A0
- 1 year manufacturer's warranty

Specification applies to the standard product. Our range of options usually allow us to accommodate any differences you may require. Please contact us and we will be happy to support you in developing this specification to meet your requirements.

Option delete/ update as appropriate

**Manufacturer:** Fitzpatrick Woolmer,  
Unit 7 Lakeside Park, Neptune Close,  
Rochester, Kent, ME2 4LT.  
**Tel:** 01634 711 771  
**Email:** info@fwdp.co.uk

**Timber:** FSC Prime Grade to BS EN 975-1

**Species:** Oak and Eucalyptus (external grade plywood)

**Origin:** France and China

**Moisture content on delivery:** 10% - 20%

**Certification:** FSC chain of custody

**Finish:** Sadolin Classic wood preservative, solvent based, matt

**Colour:** Light Oak



**Visible fixings:** Stainless steel security fixings to removable parts

**Capacity:** Will accommodate a 3mm thick printed graphic panel

**Weight:** 43kg

**Installation:** Posts extend 600mm below ground level

**Guarantee:** One year manufacturer's warranty



**Note:**  
All dimensions are indicative only.  
Footing details are subject to  
soil conditions and structural  
engineers recommendations.

Specification applies to the standard product. Our range of options usually allow us to accommodate any differences you may require. Please contact us and we will be happy to support you in developing this specification to meet your requirements.

Option delete/ update as appropriate

**Manufacturer:** Fitzpatrick Woolmer, Unit 7 Lakeside Park, Neptune Close, Rochester, Kent, ME2 4LT.  
**Tel:** 01634 711 771  
**Email:** info@fwdp.co.uk

**Timber:** FSC Prime Grade to BS EN 975-1

**Species:** Oak and Eucalyptus (external grade plywood)

**Origin:** France and China

**Moisture content on delivery:** 10% - 20%

**Certification:** FSC chain of custody

**Finish:** Sadolin Classic wood preservative, solvent based, matt

**Colour:** Light Oak



**Visible fixings:** Stainless steel security fixings to removable parts

**Capacity:** Will accommodate a 3mm thick printed graphic panel

**Weight:** 32kg

**Installation:** Posts extend 600mm below ground level

**Guarantee:** One year manufacturer's warranty



**Note:**  
All dimensions are indicative only. Footing details are subject to soil conditions and structural engineers recommendations.



Specification applies to the standard product. Our range of options usually allow us to accommodate any differences you may require. Please contact us and we will be happy to support you in developing this specification to meet your requirements.

Option delete/ update as appropriate

**Manufacturer:** Fitzpatrick Woolmer,  
 Unit 7 Lakeside Park, Neptune Close,  
 Rochester, Kent, ME2 4LT.  
**Tel:** 01634 711 771  
**Email:** info@fwdp.co.uk

**Timber:** FSC Prime Grade to BS EN 975-1

**Species:** Oak and Eucalyptus (external grade plywood)

**Origin:** France and China

**Moisture content on delivery:** 10% - 20%

**Certification:** FSC chain of custody

**Finish:** Sadolin Classic wood preservative, solvent based, matt

**Colour:** Light Oak



**Visible fixings:** Stainless steel security fixings to removable parts

**Capacity:** Will accommodate a 3mm thick printed graphic panel

**Weight:** 21kg

**Installation:** Posts extend 600mm below ground level

**Guarantee:** One year manufacturer's warranty



**Note:**  
 All dimensions are indicative only.  
 Footing details are subject to  
 soil conditions and structural  
 engineers recommendations.