

**Fitzpatrick  
Woolmer**

## Grenadier™ Badging Sign

Our aluminium and Oak **Grenadier™** badging signs are perfect for identifying key locations within attractions, offering a clear and stylish point of arrival. The durable aluminium frame ensures resilience against the elements, while the oak detailing adds a refined, welcoming touch.

These signs are highly visible, making it easy for visitors to navigate important areas. With their robust construction and timeless design, they provide an effective and long-lasting solution for any attraction's wayfinding needs.

### Product features

- \* Hardwood PEFC Oak and aluminium construction
- \* Self adhesive vinyl lettering and logos
- \* Preservative and powdercoat finish
- \* Standard sizes 1000mm x 200mm and 800mm x 175mm
- \* 1 year manufacturer's warranty

**Fitzpatrick Woolmer Design & Publishing Limited**

Unit 7 Lakeside Park, Neptune Close, Rochester, Kent, ME2 4LT  
t: 01634 711 771 e: [info@fwdp.co.uk](mailto:info@fwdp.co.uk) w: [fwdp.co.uk](http://fwdp.co.uk)



By Appointment to His Majesty The King  
Manufacturer of Signs and Wayfinding  
Fitzpatrick Woolmer Design & Publishing Ltd, Kent

Specification applies to the standard product. Our range of options usually allow us to accommodate any differences you may require. Please contact us and we will be happy to support you in developing this specification to meet your requirements.

**Option delete/ update as appropriate**

**Manufacturer:** Fitzpatrick Woolmer,  
Unit 7 Lakeside Park, Neptune Close,  
Rochester, Kent, ME2 4LT.

**Tel:** 01634 711 771

**Email:** info@fwdp.co.uk

**Timber:** PEFC QPA Grade, generally to BS EN 975-1

**Species:** Oak

**Origin:** France

**Moisture content on delivery:** 60% - 80%

**Finish:** Sadolin Classic wood preservative,  
solvent based, matt

**Colour:** Light Oak

**Metal:** Aluminium

**Grade:** 1050

**Thickness:** 3mm


**Finish:** Powdercoat to BS EN 12206:2021 Part 1

**Colour:** RAL 9005 Black and Corten effect cap

**Weight:** 33kg

**Installation:** Posts extend 500mm below ground level

**Guarantee:** One year manufacturer's warranty



Note: All dimensions are indicative only. Footing details are subject to soil conditions and structural engineers recommendations.

Specification applies to the standard product. Our range of options usually allow us to accommodate any differences you may require. Please contact us and we will be happy to support you in developing this specification to meet your requirements.

**Option delete/ update as appropriate**

**Manufacturer:** Fitzpatrick Woolmer,  
Unit 7 Lakeside Park, Neptune Close,  
Rochester, Kent, ME2 4LT.

**Tel:** 01634 711 771

**Email:** info@fwdp.co.uk

**Timber:** PEFC QPA Grade, generally to BS EN 975-1

**Species:** Oak

**Origin:** France

**Moisture content on delivery:** 60% - 80%

**Finish:** Sadolin Classic wood preservative,  
solvent based, matt

**Colour:** Light Oak

**Metal:** Aluminium

**Grade:** 1050

**Thickness:** 3mm


**Finish:** Powdercoat to BS EN 12206:2021 Part 1

**Colour:** RAL 9005 Black and Corten effect cap

**Weight:** 32kg

**Installation:** Posts extend 500mm below ground level

**Guarantee:** One year manufacturer's warranty



Note: All dimensions are indicative only. Footing details are subject to soil conditions and structural engineers recommendations.