MEON

DELIVERING GREAT SURFACES

MEON DIRECTORY 2017

SURFACE MARKING SOLUTIONS

SUPERIOR SURFACE REPAIR

DECORATIVE SURFACING

ABOUT MEON

Welcome to Meon!

For over 20 years, our single purpose has been to Deliver Great Surfaces - it's why we exist!

We're set on providing world class solutions for asset managers in transportation infrastructure.

Please enjoy and explore the world of Meon.

HOW TO ORDER

PHONE

CALL FREE:
on 0808 118 1922 (uk)
or +353 (0)1 840 7647 (ire)
Monday - Friday

EMAIL

Email your order details any time of day to mail@meonuk.com

ONLINE

VISIT: MEONUK.COM
to buy online and have your goods delivered fast

CONTENTS

We cover a vast range of systems from surface marking and repair solutions right through to beautiful decorative resin bound and bonded surfacing. For more about Meon view online at www.meonuk.com.

TITLE:	PAGE:
SPECTRUM Surfacing Solutions	04
Line Marking Systems	06
Surface Coatings	14
MMA Lining & Coatings	10, 16
Anit-Slip Surfacing	16, 35
Sports Coatings	23
Primers and Surface Preparation	24-27
Varnish and Surface Sealers	28
Thinner and Cleaners	29
MAGMA Superior Surface Repair	30
Thermoplastic Burn On Lines	32-33
New Asphalt Primer	34
Anti-Skid Repair	35
Resin Bound Repair	36
Overbanding & Crack Repair	37-38
Edge Sealants	39
Surface Fillers and Repair	40-41
DEKORGRIP - Decorative Surfacing	42
Resin Aggregate Systems	44-47
Decorative Tree Surrounds	48-49
Rubber & Resin Surfaces	50-53
Sub-Base and Edging Systems	54-55

TITLE:	PAGE:
Decorative Pavings	56
Surface Void Fillers	58
High Friction Surfacing (HFS)	57
Airless Spray Machines	62-66
Line Removal	67
Machine Parts, Servicing & Hire	68-69
Surface Dryers	70-71
Glass Beads & Additives	72-73
Stencils	74-75
Aerosol Markers	76-78
Road Studs & Adhesives	79-82
Thermoplastic & Preformed Symbols	83-85
Preformed Playground Markings	86
Thermo Application Equipment	87-92
Road & Floor Tapes	93-95
Mixing Apparatus	96
Application, Measuring & Premarking	97-101
Digging & Compaction Tools	102
Traffic Managment Equipment	103-105
Safety Ramps & Tarpaulins	105
Signs & Sign Frames	106
Bitumen Remover & Release Agent	107

SPECTRUM

...Dynamic Answers, Productive Results

Dynamic solutions to deliver productive results. Spectrum is the all-encompassing world class solution for surface marking applications. Spectrum surface solutions are ideal for all infrastructure and asset delineation and marking projects.



EXTERNAL LINE MARKING

SURFACE COATINGS

INTERNAL LINE MARKING



PRIMERS & SEALERS

DEMARCATION ZONES

SAFE ROUTES & WALKWAYS

TrafficLine - SINGLE PACK EPOXY LINING PAINT

Special Colours Available

FEATURES AND BENEFITS:

- Approved for use on airfields
- Can be manufactured to any RAL colour, with short lead times
- Hard-wearing product, well proven in demanding locations
- Excellent adhesion to concrete and asphalt surfaces; this includes traditionally difficult surfaces such as blocks and pavers
- EnviraPac liner to allow recycling of tin and reduced disposal costs

DESCRIPTION:

Spectrum TrafficLine is a single pack, high-build road marking and delineation paint that can be used for almost all line marking applications. TrafficLine is ideal for use on hard surfaces such as roads, car parks, distribution centres, airports and docks.

TrafficLine is an epoxy product, which means that it is lower in solvent content than other products such as chlorinated rubber and very resistant to fuels and oils. TrafficLine can be applied by roller, brush or spray methods and comes in a choice of colours.

TrafficLine comes packaged in the innovative EnviraPac liner system, which allows maximum usage of product, recycling of clean metal tins and most importantly considerable reduction of waste costs.

TECHNICAL INFORMATION:

Application Method:	
Approx Coverage:	Area: 2.4m² / kg
	Linear: 24m of 100mm line / kg
Curing:	Touch Dry: 10 minutes @ 15°C
	Traffic Time: 30 minutes @ 15°C
Compatible Substrates:	Asphalt, Concrete and Pavers
Primer:	560319 FP LinePrimer
Cleaning:	630605 Type 2 thinners or 630629 Advanced Thinners
Packaging:	7kg and 20kg tins.

Colours Available:

White 7kg Ref 300217 20kg Ref 300168	Yellow 7kg Ref 300222 20kg Ref 300173
Traffic Red RAL3020 7kg Ref 300219 20kg Ref 300170	Sky Blue RAL5015 7kg Ref 300220 20kg Ref 300171
Black 7kg Ref 300218 20kg Ref 300169	Grass Green RAL6010 7kg Ref 300221 20kg Ref 300172

YOU MAY ALSO NEED:

Glass Grain GEC 850
Ref 570802

(see page 73 for more)

Cranked Handle Paint Brush
50mm - Ref 600191

(see page 98 for more)

Wet Film Thickness Gauge
Ref 600226

Graco LineLazer V 130HS
Ref 601245

(see page 64 for more)

ViaLine - TOLUENE FREE ACRYLIC LINING PAINT

Very Fast Drying



FEATURES AND BENEFITS:

- Fast drying, for rapid return to service
- Toluene-free - more environmentally friendly
- High solids for excellent opacity and durability
- Low VOC's - Less risk to the environment
- EnviraPac - Allow recycling of tin and reduces disposal costs
- Meets airfield standards for use on runways

DESCRIPTION:

Spectrum ViaLine is a fast drying, high-build road marking and delineation paint that can be used for almost all line marking applications. It is ideal for use on hard surfaces such as roads, car parks, distribution centres, airports and docks. ViaLine is a toluene free solvent-based acrylic paint, meaning it is more environmentally friendly than other products, such as chlorinated rubber.
For best application and finish, we recommend the use of airless spray equipment. ViaLine is supplied in 20kg tins and packaged in the innovative EnviraPac liner system, which allows maximum usage of product, recycling of clean metal tins and most importantly considerable reduction of waste costs.

TECHNICAL INFORMATION:

Application Method:	
Approx Coverage:	Area: 1.4 - 1.8m² / kg
	Linear: 14 - 18m of 100mm line / kg
Curing:	Touch Dry: 5 minutes @ 15°C
	Traffic Time: 20 minutes @ 15°C
Compatible Substrates:	Asphalt, Concrete and Pavers
Primer:	Concrete: 560113 UniPrime or 560319 FP LinePrimer
Cleaning	630612 SF Thinners or 630629 Advanced Thinners
Packaging:	20kg tins

Colours Available:

White Ref 300208	Traffic Yellow Ref 300209
Traffic Red RAL3020 Ref 300205	Traffic Blue RAL5017 Ref 300206
Black Ref 300203	Traffic Green RAL6024 Ref 300207

YOU MAY ALSO NEED:

SF Thinners
4.5kg - Ref 630612

(see page 29 for more)

FP LinePrimer
14kg - Ref 560319

(see page 25 for more)

Wet Film Thickness Gauge
Ref 600226

Graco LineLazer V 130HS
Ref 601245

(see page 64 for more)

UltraLine - MMA COLD PLASTIC LINING PAINT

BEST SELLER

FEATURES AND BENEFITS:

- Very hard wearing - lasts at least 3 times as long as thermoplastic
- Excellent adhesion to concrete and cementitious surfaces
- BSI approved for highway use
- Very fast cure time to allow rapid re-opening of areas to traffic
- White is retro-reflective; all colours can have reflective beads added
- Solvent-free formula

DESCRIPTION:

Spectrum UltraLine is a methyl-methacrylate (MMA) cold plastic for line markings.
UltraLine consistently outperforms traditional thermoplastic as it is extremely hardwearing and has excellent adhesion to asphalt and concrete surfaces; this includes monoblocks and pavers. UltraLine can be applied by hand or using specialist application equipment for larger applications.
It is designed for any type of line marking where durability is paramount. Areas of use include multi-storey car parks, fuel stations, kerb blips and much more.

HIGHWAY APPROVED MEETS BS:EN1436

TECHNICAL INFORMATION:

Application Method:	
Approx Coverage:	Area: 0.4m² / kg
	Linear: 4m of 100mm line / kg
Curing:	Touch Dry: 5 minutes @ 15°C
	Traffic Time: 60 minutes @ 15°C
Compatible Substrates:	Asphalt, Concrete and Pavers
Primer:	560113 UniPrime
Cleaning:	630623 UltraClean
Packaging:	8kg tin

Colours Available:

White Ref 300616	Black RAL9011 Ref 300621
Traffic Red RAL3020 Ref 300623	Primrose BS381c310 Ref 300622
Yellow RAL1023 Ref 300617	

BESPOKE COLOURS AVAILABLE FOR SPECIAL ORDER

YOU MAY ALSO NEED:

UniPrime
25ltr - Ref 560113

(see page 26 for more)

UltraClean
9ltr - Ref 630623

(see page 29 for more)

Spectrum UltraGrip L240
Traffic Blue 18kg - Ref 310193

(see page 16 for more)

Hand Moulds
100 x 100mm Ref 600160

(see page 87 for more)

RouteLine - CHLORINATED RUBBER MARKING PAINT

RouteLine is a single-pack fully sprayable chlorinated rubber line marking paint, that provides fast drying lines that are compatible with most surfaces. RouteLine comes packaged in the innovative EnviraPac liner system, which allows maximum usage of product, recycling of clean metal tins and most importantly considerable reduction of waste costs.

- Meets CAA standards for use on airfields
- Sprayable using airless spray equipment
- Can be reflectorised with glass beads
- EnviraPac - recycle & reduce disposal costs

Application Method:	
Approx Coverage:	Area: 2.2m² / kg
	Linear: 22m of 100mm line / kg
Curing:	Traffic Time: From 15 minutes @ 15°C
Compatible Substrates:	Asphalt and Concrete
Primer:	Concrete: 560319 FP LinePrimer
Cleaning:	630605 Type 2 Thinners or 630629 Advanced Thinners
Packaging:	20kg tin

Colours Available:

White	Yellow
Ref 300157	Ref 300160

Black

Ref 300156

YOU MAY ALSO NEED:

FP LinePrimer	Advanced Thinners	Cranked Handle Paint Brush	Graco LineLazer V 130HS
14kg - Ref 560319	25ltr - Ref 630629	50mm - Ref 600191	Ref 601245
(see page 25 for more)	(see page 29 for more)	(see page 98 for more)	(see page 64 for more)

VersaLine - WATER BASED LINING PAINT

Eco-Friendly

Spectrum VersaLine is a high solids, fast-drying waterbased acrylic traffic paint formulated specifically for airless spray equipment. It has high opacity and good coverage rates, making it ideal for use on highways, docks, airfields and carparks; it is also widely used in food preparation and storage areas. It can be oversealed for internal floors where a gloss finish is required to minimise soiling.

- High solids content for better opacity
- Removes requirement for solvent thinners
- Non-hazardous product
- Fast drying for rapid return to traffic

Application Method:	
Approx Coverage:	Linear: 20m of 100mm line / kg
Curing:	Touch Dry: 10 minutes @ 15°C
	Traffic Time: 40 minutes @ 15°C
Compatible Substrates:	Asphalt and Concrete
Cleaning:	Clean Water
Packaging:	20kg tin

Colours Available:

White Ref 300287	Yellow Ref 300288
Black Ref 300289	Red Ref 300290

YOU MAY ALSO NEED:

Wet Film Thickness Gauge Ref 600226	ProtectLine 1ltr - Ref 560121 (see page 28 for more)	Reactive Beads Ref 570806 (see page 72 for more)	Graco LineLazer V 130HS Ref 601245 (see page 64 for more)

MultiGrip - SLIP RESISTANT COATING PAINT

MultiGrip is a fast drying high-build single-pack solvent based paint system with high slip resistance properties, stable colour retention and good wear characteristics. It is designed to provide coloured demarcation areas, where sufficient friction is required to provide underfoot safety. MultiGrip comes packaged in the innovative EnviraPac liner system, which allows maximum usage of product, recycling of clean metal tins and most importantly considerable reduction of waste costs.

- Good SRV with fast cure times
- Can be applied on various substrates
- Fully sprayable; can also be roller applied
- Add extra molochite to increase SRV - roller application only

Application Method:	
Approx Coverage:	Roller: 1.0 - 1.2m² / kg
	Spray: 1.4 - 1.8m² / kg
Curing:	Traffic Time: 40 minutes @ 15°C
Compatible Substrates:	Asphalt and Concrete
Primer:	Concrete: 560319 FP Line Primer
Cleaning:	630629 Advanced Thinners
Packaging:	20kg tin

Colours Available:

White Ref 300191	Black Ref 300198
Dk Admiralty Grey BS381c632 Ref 300195	Strong Blue BS381c107 Ref 300192
Traffic Green RAL 6024 Ref 300193	Grass Green RAL 6010 Ref 300196
Bold Red BS381c564 Ref 300194	Venetian Red BS381c445 Ref 300190
Signal Yellow RAL 1003 Ref 300197	Sand Yellow RAL 1002 Ref 300189

BESPOKE COLOURS AVAILABLE FOR SPECIAL ORDER

YOU MAY ALSO NEED:

FP LinePrimer	Advanced Thinners	MultiGrip Molochite
14kg - Ref 560319	25ltr - Ref 630629	3.2kg - Ref 570146
(see page 25 for more)	(see page 29 for more)	(see page 73 for more)

MultiGrip F240 - TOLUENE FREE SLIP RESISTANT COATING PAINT

Excellent Value

MultiGrip F240 is a fast drying, high-build slip resistant coating system that can be used for a wide range of area applications. MultiGrip F240 is a toluene free solvent-based acrylic paint, meaning it is more environmentally friendly than many other products, such as epoxy based systems. MultiGrip F240 is design to be spray applied for rapid and even application. It comes packaged in the innovative EnviraPac liner system allowing for maximum usage and reduction of waste cost.

- Textured surface achieving an SRV in excess of 55
- High solids for excellent opacity
- Fast drying, for rapid return to service
- Toluene-free - environmentally friendly

Application Method:	
Approx Coverage:	Area: 1.4 - 1.8m² / kg
Curing:	Touch Dry: 5 minutes @ 15°C
	Traffic Time: 20 minutes @ 15°C
Compatible Substrates:	Asphalt and Concrete
Primer:	560113 UniPrime
Cleaning:	630623 UltraClean
Packaging:	20kg tin

Colours Available:

Strong Blue BS381:107 Ref 310204	Traffic Green RAL 6024 Ref 310202
Traffic Red RAL 3020 Ref 310201	Traffic Black RAL 9017 Ref 310200
Traffic Grey RAL7043 Ref 310203	

YOU MAY ALSO NEED:

UniPrime	SF Thinners	Cranked Handle Paint Brush	Graco LineLazer V 130HS
25ltr - Ref 560113	4.5kg - Ref 630612	50mm - Ref 600191	Ref 601245
(see page 26 for more)	(see page 29 for more)	(see page 98 for more)	(see page 64 for more)

UltraGrip L240 - SLIP RESISTANT MMA SURFACE COATING

Very Durable

FEATURES AND BENEFITS:

- Fast cure time
- UV stable
- Very hard wearing
- Large colour range from stock
- High SRV
- Can have retro-reflectivity added

DESCRIPTION:

UltraGrip L240 is used to provide a textured, slip-resistant finish for areas where maximum durability is required and user safety is paramount.
UltraGrip L240 is manufactured from methyl-methacrylate (MMA) resins which are very hard wearing and are UV stabilised to retain colour. This results in a system which retains its look, colour and high slip-resistance value even when heavily trafficked.
UltraGrip L240 has excellent adhesion to a variety of different surfaces, including asphalt and concrete, along with a high SRV rating of over 65. These characteristics, along with rapid cure times, mean that it is the best choice for safe walkways, pedestrian crossings, cycle paths, hazard perception bars, ghost traffic islands, parking bays and similar projects.

TECHNICAL INFORMATION:

Application Method:	+
Approx Coverage:	Area: 0.5m² / kg
Curing:	Pot Life: 5 - 10 minutes @ 15°C
	Cure Time: 15 - 20 minutes @ 15°C
Compatible Substrates:	Asphalt, Concrete and Pavers
Primer:	Concrete and Pavers: 560147 UltraPrime
Void Filler:	Open Asphalt: 580194 ScratchCote
Cleaning:	630623 UltraClean
Packaging:	18kg tins

Colours Available:

Pure White RAL9010	Jet Black RAL 9005
Ref 310209	Ref 310207
Traffic Grey RAL 7043	Traffic Green RAL 6024
Ref 310191	Ref 310192
Traffic Blue RAL 5017	Traffic Red RAL3020
Ref 310193	Ref 310194
Traffic Yellow RAL 1023	
Ref 310208	

BESPOKE COLOURS AVAILABLE FOR SPECIAL ORDER

YOU MAY ALSO NEED:

UltraPrime
10kg - Ref 560147

(see page 26 for more)

ScratchCote
22.5kg - Ref 580194

(see page 27 for more)

UltraClean
9ltr - Ref 630623

(see page 29 for more)

Serrated Squeegees
560mm (4mm) - Ref 600148

(see page 97 for more)

UltraStripe - 50:48:2 SPRAYABLE MMA LINING PAINT

UltraStripe is a 50:48:2 component high performance sprayable MMA line marking system. UltraStripe is compatible with most asphalt and concrete surfaces, monoblocks, pavers and other cementitious surfaces. As a totally cold-applied system, with no hot works, it is also frequently used in sensitive areas such as fuel stations and other hot-work sensitive sites.

Application Method:	
Approx Coverage:	10m of 100mm line / kg
Compatible Substrates:	Asphalt, Concrete and Pavers
Primer:	Concrete: 560113 UniPrime
Cleaning:	630623 UltraClean
Packaging:	2 x 20kg kit + Catalyst
Colours Available:	White Ref 350210 / Yellow Ref 350211 / Black Ref 350212

UltraStripe - 98:2 SPRAYABLE MMA LINING PAINT

A 98:2 sprayable MMA resin system, applied with a specialist airless spray machine. Provides the benefits of a high performance MMA line marking, combined with a rapid application rate. It can be applied using either liquid peroxide or reactive glass beads. As a totally cold-applied system, with no hot works, it is also frequently used in sensitive areas such as fuel stations and other hot-work sensitive sites.

Application Method:	
Approx Coverage:	10m of 100mm line / kg
Compatible Substrates:	Asphalt and Concrete
Primer:	Concrete: 560113 UniPrime
Cleaning:	630623 UltraClean
Packaging:	20kg tin
Colours Available:	White Ref 350204 / Yellow Ref 350206 / Black Ref 350208

Basler Bascolin 1:1 - 50:48:2 MMA LINING SYSTEM

Very Fast Application



Solvent-free cold spray plastic for road marking based on reactive acrylic resin. Used for all forms of permanent surface markings on both asphalt and concrete surfaces for markings on highways, roads and other areas in the public and private sectors, as well as maintenance markings Type I and II. Airless spray application in a closed mixing system.

- Very durable thin line thickness
- Solvent free and UV resistant
- Very high bead retention
- Fully BASt certified

Application Method:	
Approx Coverage:	Linear: Type I - 20-25m of 100mm line / kg
	Linear: Type II - 10-12m of 100mm line / kg
Curing:	Touch Dry: 10 minutes @ 15°C
	Traffic Time: 20 minutes @ 15°C.
Compatible Substrates:	Asphalt, Concrete, Pavers and Monoblocks
Cleaning:	630623 UltraClean
Packaging:	50kg kit (25kg Part A and 25kg Part B)

Colours Available:

White

Part A - Ref 350269
Part B - Ref 350270

Certification:
BASt (Type I)
P6/S1/R4/Q5/T2 (Swarcolux 15).

BASt (Type II)
P7/S2/R4/RW3/Q5/T3 (Swarcolux 50)

YOU MAY ALSO NEED:

Ultralux Reactive Glass Beads	Liquid Peroxide	UltraClean	GRUN - MMA Application Machines
25kg bags - Ref 570814	Ref 560158	9ltr - Ref 630623	Enquire For More Information
(see page 72 for more)		(see page 29 for more)	

Basler Bascolin MP12 - 98:2 MMA LINING SYSTEM

Basler Bascolin MP12 98:2 MMA Lining System is a solvent-free cold sprayable plastic based on reactive acrylic resin for road marking. Used for all forms of permanent surface markings on both asphalt and concrete surfaces for markings on highways, roads and other areas in the public and private sectors, as well as maintenance markings Type I and II. Airless spray application in a closed mixing system.

- Solvent free
- Rapid trafficability
- Fast mechanical application
- Fully BASt certified

Application Method:	
Approx Coverage:	Linear: Type I - 20-28m of 100mm line / kg
	Linear: Type II - 11-12m of 100mm line / kg
Curing:	Touch Dry: 10 minutes @ 15°C
	Traffic Time: 15 minutes @ 15°C.
Compatible Substrates:	Asphalt, Concrete, Pavers and Monoblocks
Cleaning:	630623 UltraClean
Packaging:	25kg tin

Colours Available:

White

Ref 350272

Certification:
BASt (Type I)
P7 / S0 / R5 / RW6 / Q5 / 1)T2,2)T3

BASt (Type II)
P7 / S1 / R4 / RW4 / Q5 / T2

YOU MAY ALSO NEED:

UltraClean	Liquid Peroxide	Graco LineLazer 98:2	Ultralux Reactive Glass Beads
9ltr - Ref 630623	Ref 560158	Ref 601261	25kg bags - Ref 570814
(see page 29 for more)		(see page 66 for more)	(see page 72 for more)

PuraLine - TWO PACK POLYURETHANE LINING PAINT

PuraLine is a two component polyurethane (PU) paint used for internal lining applications. PuraLine gives a high gloss finish with excellent durability. Widely used in distribution centres and warehouses.

Application Method:	
Approx Coverage:	6 - 8m² / ltr
Compatible Substrates:	Concrete
Traffic Time:	8 - 12 hours @ 15°C
Cleaning:	630627 2pack PU Thinners
Packaging:	4.8ltr

Colours Available:
Special colours available to order

White	Yellow	Black	Red
Ref 300603	Ref 300604	Ref 300602	Ref 300624

RoadLine - TWO PACK EPOXY LINING PAINT

RoadLine is a two component epoxy resin line marking paint that cures to give you a tough, hard-wearing and quality line. It's chemical, fuel and abrasion resistant and compatible with most surfaces. It comes in three colours with the option of either a 4 or 20 ltr kit depending on the size of your application.

Application Method:	
Approx Coverage:	3.7m² / ltr
Compatible Substrates:	Asphalt, Concrete & Pavers
Touch Dry:	From 1 hour @ 15°C
Traffic Time:	From 6 hours @ 15°C
Cleaning:	630607 Epoxy Thinners
Sealer:	560121 ProtectLine
Packaging:	4 and 20ltr kit

Colours Available:
Special colours available to order

White	Yellow	Black
4ltr - Ref 300607 20ltr - Ref 300608	4ltr - Ref 300609 20ltr - Ref 300611	4ltr - Ref 300605 20ltr - Ref 300606

FloorCote1PPU - 1 PACK PU INTERNAL FLOOR COATING

FloorCote1PPU is a fast drying one pack polyurethane internal floor paint, giving a performance coating. Offers a simple solution for factories and warehouses requiring a lighter-use finish. Available as standard in 20ltr, also available in 5ltr if required.

Application Method:	
Approx Coverage:	8m² / ltr
Compatible Substrates:	Prepared concrete floors
Traffic Time - foot traffic:	Overnight @ 15°C
Cleaning:	630633 1pack PU Thinners
Packaging:	5 and 20ltr
Colours Available: Special colours available to order	Silver Grey: 20ltr - Ref 310503 Red: 5ltr - Ref 310501, 20ltr - Ref 310504

FloorCote2PE - 2 PACK EPOXY INTERNAL FLOOR COATING

FloorCote2PE is a two pack Epoxy solvent based internal floor coating paint. A high performance coating, giving excellent resistance to most chemicals. Extra aggregate can be added for increased slip resistance.

Application Method:	
Approx Coverage:	6 - 8m² / ltr
Compatible Substrates:	Prepared concrete floors
Traffic Time - foot traffic:	Overnight @ 15°C
Cleaning:	630607 Epoxy Thinners
Packaging:	5 and 20ltr
Colours Available: Other colours available to order	Grey: 5ltr - Ref 310507, 20ltr - Ref 310509 Red: 5ltr - Ref 310508, 20ltr - Ref 310510



CourtCote - WATER BASED ACRYLIC SPORTS COATING

CourtCote is a single-pack water-based acrylic paint that is designed for sports courts, especially tennis courts. It is designed to be applied using airless spray equipment for fast and even application.
CourtCote contains a slip-resistance particle to provide a finish which meets the guidelines for court finishes.

- Fast-curing to allow rapid recoating
- Meets SAPCA performance specifications
- Excellent coverage rates
- Great anti-slip properties for safer recreation

Application Method:	
Approx Coverage:	7m² / ltr
Compatible Substrates:	Asphalt
Curing:	Touch Dry: 15 - 30 minutes @ 15°C
	Traffic Time: 3 hours @ 15°C
Primer:	560102 Meon Binder/Sealer
Cleaner:	Clean Water
Packaging:	20ltr tubs

Colours Available:

Black Ref 310152	Yellow Ref 310159
Light Holly Ref 310155	Spring Green Ref 310157
Saxe Blue Ref 310156	Summer Red Ref 310158

YOU MAY ALSO NEED:

Meon Binder/Sealer Ref 560102 (see page 24 for more)	Cranked Handle Paint Brush 50mm - Ref 600191 (see page 98 for more)	Crushed Glass GEC 850 Ref 570802 (see page 73 for more)	Graco LineLazer V 130HS 1 gun - Ref 601245 (see page 64 for more)

SPECTRUM - PRIMERS MATRIX

For best application and user experience match the marking systems with the correct primer and fillers

	1k Solvent Acrylic Paints		MMA's		1k Solvent Epoxy Paints	1k Solvent CR Paints	2k Solvent Epoxy Paints		2k PU Paints	ThermoPlastics	
	ViaLine & MultiGrip F240		UltraLine UltraSpray UltraStripe UltraGrip L240		TrafficLine MultiGrip	RouteLine MultiGrip	RoadLine & FloorCote		PuraLine	Magmaline Magmaline + ThermaMark ThermaMark +	Thermo-Plastic Screed
DESCRIPTION	Asphalt	Concrete	Asphalt	Concrete	Concrete	Concrete	Asphalt	Concrete	Asphalt	Concrete	Concrete
FP Line Primer		Can Be Used			Highly Recommended	Highly Recommended				Highly Recommended	Highly Recommended
UniPrime		Highly Recommended		Highly Recommended						Can Be Used	Can Be Used
UltraPrime		Can Be Used		Highly Recommended							
UltraLine Tungsten		Can Be Used		Suitable							
Etch Primer		Can Be Used			Highly Recommended	Highly Recommended				Can Be Used	Can Be Used
ProTack Aerosol										Suitable	Suitable
SPECIALIST PRIMER FOR NEW ASPHALT											
UltraNuvo	Suitable		Highly Recommended						Can Be Used		
VOID FILLERS											
MMA ScratchCote kit	Highly Recommended	Highly Recommended	Highly Recommended	Highly Recommended	Can Be Used	Can Be Used	Can Be Used	Can Be Used	Highly Recommended		
Use thinned first coat as primer								10-15%	10-15%		

Can Be Used Suitable Highly Recommended

Preparation Is Key For Best Results

Primers & Binders - FOR SURFACE PREPARATION

Meon stock a selection of primers designed for preparing substrates prior to final coat application.

There are many primers available, those for use with different substrates as well as different applications etc.

Product Name:	Product Code:	Packaging:	Application:
ProTack	560107	750ml Can	Thermoplastic to concrete and asphalt
Black Tack Coat Primer	560122	25ltr	Thermoplastic and tape to concrete
Etch Primer	560316	5kg	Primer for power floated concrete
Meon Binder/Sealer	560102	20ltr	Water based binder for use with CourtCote

FPLinePrimer - FAST DRYING CONCRETE PRIMER

FP LinePrimer is a versatile clear primer that is used to prime concrete and cementitious surfaces before application of thermoplastic screed, solvent based epoxies and acrylics. It is very fast drying even in lower temperatures, enabling minimum delay before overcoating. It can be applied by hand, or sprayed effectively through airless spray equipment.

- Very fast drying - greater productivity
- Clear finish
- Far more effective than traditional tack coats
- EnviraPac - recycle & reduce disposal costs

Application Method:	
Approx Coverage:	Area: 13 - 15m² / kg
	Linear: 100m of 150mm line / kg
Curing:	Touch Time: 5 minutes @ 15°C
	Recoat: 30 - 45 minutes @15°C
Compatible Substrates:	Concrete, Blocks and Pavers
Cleaning:	630623 UltraClean or 630629 Advanced Thinners
Packaging:	4kg and 14kg tins

Colours Available:

Clear

4kg - Ref 560315
14kg - Ref 560319

YOU MAY ALSO NEED:

UltraClean	Advanced Thinners	Mini Roller Set	Graco LineLazer 3400
9ltr - Ref 630623	5ltr - Ref 630632	Ref 630304	Ref 601244
(see page 29 for more)	(see page 29 for more)	(see page 98 for more)	(see page 63 for more)

EtchPrimer - INTERNAL CONCRETE FLOOR PRIMER

Spectrum EtchPrimer is an effective primer suitable for the preparation of power floated or smooth concrete floors where mechanical preparation is not possible. EtchPrimer etches to the existing surface to provide a good key for the proposed coating. Not recommended for application internally.

- Fast drying
- Fully sprayable
- Excellent adhesion
- Easy application

Application Method:	
Approx Coverage:	Area: 12 m² / ltr
Compatible Substrates:	Cementitous Surfaces, Power Floated Concrete
Dry Times:	Recoat: 30 mins @ 15°C
Cleaning:	630623 UltraClean or 630632 Advanced Thinners
Packaging:	5kg and 14kg tins

Colours Available:

Grey

5kg - Ref 560316
14kg - Ref 560320

UniPrime - 1 PACK FAST DRYING CONCRETE PRIMER

UniPrime is a fast drying single pack primer designed for use with acrylic paints and MMA resins. It is fully sprayable using airless spray equipment. Used to prime concrete and other cementitious surfaces, after suitable preparation, to promote excellent adhesion for Spectrum ViaLine, UltraLine, UltraStripe, UltraSpray and many other Spectrum systems.

- Ideal for MMA lining
- Excellent adhesion
- Fully sprayable
- Simple application

Application Method:	
Approx Coverage:	Area: 5 - 10m² / ltr
Dry Times:	Touch: 10 minutes @ 15°C
	Recoat: 1 - 2 hours @ 15°C
Compatible Substrates:	Asphalt, Concrete and Pavers
Cleaning:	630612 SF Thinners
Packaging:	25ltr tins

Colours Available:

Clear

Ref 560113

ScratchCote - MMA VOID FILLER

ScratchCote is used to prepare surfaces, such as those having a negative texture or uneven finish. Typical examples include asphalts such as SMA, tamped concrete, surface dressing and other similar surfaces.
ScratchCote is an MMA void filler which is applied to the surface providing a flat and even finish prior to application of coatings such as UltraGrip, UltraForce and resin bond surfaces.

- Provides an even surface
- Solvent-free formula
- Supplied pre-packaged, ready-to-mix
- Increases coverage rates of final finish

Application Method:	
Approx Coverage:	0.6m² / kg
Primer (concrete):	560147 UltraPrime
Cleaning:	630623 UltraClean
Packaging:	22.5kg

Colours Available:

Buff

Ref 580194

UltraPrime - 2 COMPONENT MMA PRIMER

UltraPrime is an fast curing MMA based primer. Use UltraPrime to prime cementitious surfaces before application of Spectrum Ultra coating products. It can be applied to substrates such as concrete and cementitious blocks and pavers.

- Very fast drying
- Great coverage rates
- Excellent adhesion
- Use in lower temperatures

Application Method:	
Approx Coverage:	Area: 2.5m² / kg
Cure Times:	Touch Dry: 5 mins @ 15°C
	Recoat: 45 mins @ 15°C
Cleaning:	630623 UltraClean
Compatible Substrates:	Concrete and Steel
Packaging:	10kg kit

Colours Available:

Clear

Ref 560147

Tredonit300 - ONE PACK SOLVENT BASED PU VARNISH

Tredonit300 is a solvent based polyurethane single pack varnish to extend the durability and colour retention of lines. Very hard wearing and durable with a clean high shine finish.

Application Method:	
Approx Coverage:	11m² / ltr
Touch Dry:	1 hour @ 15°C
Traffic Time:	16 hours @ 15°C
Cleaning:	630612 SF Thinners
Packaging:	4.5kg tin

Colours Available:

Clear

Ref 560123

ProtectLine - WATER BASED PROTECTIVE VARNISH

ProtectLine is a water based clear varnish, used to over seal lines. Increases the life span and also makes them easier to clean. ProtectLine is ideal for internal lines and smooth floors.

Application Method:	
Approx Coverage:	15 - 20 m² / ltr
Dry Time:	1 hour @ 15°C
Cleaning:	Clean Water
Packaging:	1ltr tub

Colours Available:

Clear

Ref 560121

ClearSeal - FAST DRYING SOLVENT BASED PU VARNISH

ClearSeal is a single pack solvent based polyurethane (PU) varnish. It is a fast drying product to allow rapid return to traffic, whilst providing a durable long lasting gloss finish. ClearSeal can be used on a wide range of Spectrum lining and coating systems. Improves visibility, safety and productivity. When spray applying, thin with SF Thinners.

Application Method:	
Approx Coverage:	4m² / kg
Traffic Time:	20 minutes @ 15°C
Thinning/Cleaning:	630612 SF Thinners
Packaging:	12kg tin

Colours Available:

Clear

Ref 560116

SPECTRUM - THINNING AND CLEANING MATRIX

For best application and user experience match the marking systems with the correct thinners and cleaners

	1k Solvent Acrylic Paints		MMA's	1k Solvent Epoxy Paints		1k Solvent CR Paints		2k Solvent Epoxy Paints		2k PU Paints	
	ViaLine MultiGrip F240		UltraLine UltraSpray UltraStripe UltraGrip L240	TrafficLine MultiGrip		RouteLine		RoadLine & FloorCote 2PE		PuraLine FloorCote 2PPU	
Description	Thinning	Cleaning	Cleaning	Thinning	Cleaning	Thinning	Cleaning	Thinning	Cleaning	Thinning	Cleaning
Aerosol Cleaning Solvent		Suitable			Highly Recommended		Highly Recommended				
Spectrum SF Thinners	Can Be Used	Suitable	Suitable								
Spectrum Epoxy Thinners								Highly Recommended	Highly Recommended		
Advanced Thinners		Can Be Used	Can Be Used		Highly Recommended		Highly Recommended				
Spectrum Type 2 Thinners		Can Be Used		Highly Recommended	Highly Recommended	Highly Recommended	Highly Recommended				
Spectrum UltraClean		Highly Recommended	Highly Recommended								
Standard Thinners		Can Be Used			Suitable		Suitable				
2pk PU Thinners										Highly Recommended	Highly Recommended

Can Be Used Suitable Highly Recommended

Thinners - CLEANING AND THINNING

Meon stock a selection of solvents and cleaners for thinning down or cleaning application equipment and machinery.

Special provisions may apply for transportation and storage of this hazardous product range.

Product Name:	Product Code:	Packaging:	Application:
SF Thinners	630612	4.5kg	For thinning toluene free paints
Epoxy Thinners	630607	5ltr	Thinner for epoxy paints
Type 2 Thinners	630605	5ltr	Thinner for OPE/CR paints
Advanced Thinners	630629	25ltr	Quality grade thinners for cleaning
Advanced Thinners	630632	5ltr	Quality grade thinners for cleaning
UltraClean	630623	9ltr	Cleaning MMA application equipment
Aerosol Cleaning Solvent	630601	500ml	Ideal for cleaning machine tips
2pk PU Thinners	630627	5ltr	For thinning 2pk PU paints (PuraLine)

MAGMA

BECAUSE ROADS MATTER™

A comprehensive selection of road maintenance and repair products that deliver lasting results the first time, every time. Making roads better had been our purpose in creating and developing this powerful range of repair materials.

ANTI-SKID REPAIR

LINE REINSTATEMENT

JOINT & CRACK REPAIR

SURFACE FILLERS

BEDDING MORTARS

SEALERS & EMULSIONS

MagmaLineR110 - PREMIUM THERMOPLASTIC LINES

FEATURES AND BENEFITS:

- Advanced formula - great flexibility
- Economic way of re-instating short runs
- No specialist boilers or equipment required
- Embedded glass beads - great reflectivity
- Can be trafficked very quickly
- Fast easy application

DESCRIPTION:

MagmaLine R110 is a quality preformed thermoplastic linemarking product, used to repair and lay permanent lines onto asphalt surfaces. It is easily applied, durable and exceeds Highway standards, without any of the call-out costs associated with hot screed-applied thermoplastic lines.
MagmaLine R110 has an advanced formulation which retains flexibility even in cooler condtions; this overcomes major drawbacks associated with other brands and enables work to continue throughout winter months.
MagmaLine R110 also comes supplied with embedded glass beads, increasing slip resistance and also offering higher reflectivity to road users.

TECHNICAL INFORMATION:

Application Method:	Burn on
Compatible Substrates:	Asphalt
Roll Length:	5m
Primer:	560319 FP LinePrimer
	or 560107 ProTack
Roll Widths & Packaging:	50mm: 20 / box 75mm: 10 / box 100mm: 10 / box 150mm: 5 / box 200mm: 5 / box

Colours Available:

Red	Black	Deep Cream
50mm - 340538	50mm - 340539	50mm - 340541
75mm - 340544	75mm - 340545	75mm - 340547
100mm - 340550	100mm - 340551	100mm - 340553
150mm - 340556	150mm - 340557	
200mm - 340560	200mm - 340561	

Primrose	Yellow	White
50mm - 340540	50mm - 340537	50mm - 340536
75mm - 340546	75mm - 340543	75mm - 340542
100mm - 340552	100mm - 340549	100mm - 340548
	150mm - 340555	150mm - 340554
	200mm - 340559	200mm - 340558

YOU MAY ALSO NEED:

ProTack
750ml - Ref 560107

(see page 24 for more)

Gas Torch Applicator
Ref 600418

(see page 87 for more)

Infra-red Thermometer
Ref 600218

FP LinePrimer
14kg - Ref 560319

(see page 25 for more)

UltraNuvo - NEW ASPHALT MMA PRIMER KIT

Designed For New Asphalt

UltraNuvo is a clear primer designed for priming asphalt surfaces before application of MMA and PU-based anti-skid and slip-resistant coatings. It has a very short cure time, reaching full strength by the end of the cure time. This enables it to be used as a primer for new laid surfaces as any bitumen "bleed" is caught within the primer and prevented from migrating to the finishing treatment.

- Solvent free - more environmentally friendly
- Prevents any bitumen bleed to final finish
- Very fast cure, minimise road closure fine
- Complete kit - includes all you need for application

Application Method:	
Approx Coverage:	1.8 - 2m² / kg
Compatible Substrates:	Asphalt
Pot Life:	10 minutes @ 15°C
Recoat:	45 minutes @ 15°C
Cleaning:	630623 UltraClean
Packaging:	2.1kg kit (inc applications tools)

Colours Available:

Clear

Ref 560143

YOU MAY ALSO NEED:

Long Arm Rad Roller Frame	Gaffer Tape	UltraClean	SkidGrip Buff
Ref 600123	100mm - Ref 610134	9ltr - Ref 630623	2.5m² - Ref 540631
(see page 98 for more)	(see page 95 for more)	(see page 29 for more)	(see page 35 for more)

SkidGrip - PU ANTI-SKID REPAIR SYSTEM

Only 2.5msq kit contains all tools

SkidGrip is a simple repair kit system for anti-skid surfaces. It is ideal for reinstating anti-skid and High Friction Surfaces (HFS) after utilities works. Typical examples where these surfaces are found include bus lanes, traffic lights, roundabouts and other junction lead-ins. SkidGrip kits are simple to use and ideal for issue to reinstatement crews to allow works to be completed in one visit, without the necessity for a specialist subcontractor visit. This reduces closure times and extra costs.

- Tough, durable and provides excellent adhesion
- Kit contains everything needed for application
- Choice of coloured aggregates
- Fast easy application

Application Method:	
Compatible Substrates:	Concrete and Asphalt
Approx Coverage:	2.5m² kit / 5m² / 10m²
Traffic Time	2 - 4 Hours @ 15°C
Cleaning:	630632 Advanced Thinners
Packaging: Resin only kits also available	2.5m² kit (inc application tools) 5m² (2x Agg - 1x Resin) 10m² (4x Agg - 2x Resin)

Colours Available:

Bauxite Buff	Bauxite Grey	Venetian Red
2.5 - Ref 540631 5 - Ref 540131 10 - Ref 540115	2.5 - Ref 540630 5 - Ref 540130 10 - Ref 540114	2.5 - Ref 540635 5 - Ref 540135 10 - Ref 540119
Emerald Green	**Black**	**Bold Red**
2.5 - Ref 540633 5 - Ref 540132 10 - Ref 540116	2.5 - Ref 540634 5 - Ref 540133 10 - Ref 540117	2.5 - Ref 540632 5 - Ref 540134 10 - Ref 540118

OTHER COLOURS AVAILABLE ON SPECIAL ORDER

YOU MAY ALSO NEED:

Quality Yard Broom	UltraNuvo Primer	Advanced Thinners	Serrated Squeegee
330mm - Ref 630117	2.1kg - 560143	5ltr - Ref 630632	560mm - 4mm - Ref 600148
(see page 99 for more)	(see page 34 for more)	(see page 29 for more)	(see page 97 for more)

PatchBound - RESIN BOUND PATCH REPAIR SYSTEM

PatchBound is an encapsulated natural aggregate resin repair kit. It perfectly meets current demands for sustainable urban drainage (SUDS) whilst ensuring a stunning surface.
PatchBound is for use in resin bound surfaces where an area needs to be reinstated or repaired. It is matched to suit and naturally blends in with existing surface.

- Fast and easy installation
- Smart and clean finish
- Permeable Surface - (SUDS) compliant
- Convenience - all you need in one kit

Application Method:	Trowel Down
Compatible Substrates:	Concrete and Asphalt
Approx Coverage:	0.5m² @ 20mm / kit
Cure Time:	Up to 6 Hours @ 15°C
Cleaning:	630632 Advanced Thinners
Packaging:	20kg kit

Blends Available:

Natural Wicker
Ref 540700


Oatmeal
Ref 540716

Cornfield
Ref 540715

Barley Beach
Ref 540704


Sandringham
Ref 540706

Roasted Red
Ref 540719

OTHER BLENDS AVAILABLE - REFER TO PATCHBOUND DATA SHEET OR VIEW ONLINE AT MEONUK.COM

YOU MAY ALSO NEED:

Advanced Thinners	Powered Mixing Whisk	Ox Pro Resin Trowel	DekorWipe
5ltr - Ref 630632	Ref 600306	450mm - Ref 600153	5kg - Ref 580208
(see page 29 for more)	(see page 96 for more)	(see page 97 for more)	(see page 107 for more)

UltraCrack - MMA OVERBANDING & CRACK REPAIR SOLUTION

Extends Your Surface Life

Magma UltraCrack is a 2 component MMA cold plastic product, a permanent method for filling and sealing cracks and fretted joints in asphalt and concrete surfaces. UltraCrack extends the life of surfaces by resisting the ingress of water and minimising damage caused by freeze/thaw cycles. UltraCrack is available from stock in kit form with everything you need for application in one tub, or bulk tubs for larger applications.

- Fast curing - traffic in minutes, minimum disruption
- Flexible - follows any movement of road surface
- Anti-Skid - non slip surface for vehicles
- Safe - no hot works or big equipment

Application Method:	☑
Compatible Substrates:	Concrete and Asphalt
Cure Time:	Touch Dry: 15 minutes @ 15°C
	Traffic Time: 50 minutes @ 15°C
Approx Coverage:	10m of 40mm wide band / kg
Cleaning:	630623 UltraClean
Packaging:	9kg kit and 18kg bulk

Colours Available:

Black

9kg - Ref 580207
18kg - Ref 580206

YOU MAY ALSO NEED:

UltraClean	Powered Mixing Whisk	Funnel Top Hand Mould	Grey Bauxite
9ltr - Ref 630623	Ref 600306	40 x 100mm - Ref 600154	Ref 570113
(see page 29 for more)	(see page 96 for more)	(see page 87 for more)	(see page 73 for more)

ThermaBandPlus - THERMOPLASTIC OVERBANDING



ThermaBandPlus is a thermoplastic overbanding, used to seal joints in asphalt surfaces, preventing water ingress and associated frost damage. It has an advanced 'Plus' formulation which retains flexibility even in cooler conditions and has an anti-skid treatment impregnated into the surface. It is easily laid, durable, and exceeds Highway standards, without the need for boilers and associated hot-work risks. The advanced Plus formulation overcomes a major drawback with other brands and enables work to continue through winter months.

- Prevents frost damage caused by water ingress
- Retains flexibility in cooler conditions
- Incorporated anti-skid - exceeds 65 SRV
- Minimises road closure times

Application Method:	Burn on
Compatible Substrates:	Concrete and Asphalt
Size:	35mm x 5m roll
Primer:	560107 ProTack or 200201 BituSeal
Packaging:	9 rolls / box

Colours Available:

Black

Ref 340524

YOU MAY ALSO NEED:

ProTack	Gas Torch Applicator	Infra-red Thermometer	BituSeal
750ml - Ref 560107	Ref 600418	Ref 600218	750ml - Ref 200201
(see page 24 for more)	(see page 87 for more)		(see page 39 for more)

BituSeal - AEROSOL BITUMEN EDGE SEALER

Premium performance aerosol edge sealant; the formulation includes a high concentration of flexible bitumens for ultimate long lasting results. The product has been engineered to bond vertical connections between asphalt, concrete and ironworks. It's primary area of use is for bonding utilities reinstatement cuts.

- Full can usage - no waste
- Specially formulated for this application

Application Method:	
Approx Coverage:	Area: 1.6m² / Can
	Linear: 32m @ 50mm / Can
Touch Dry:	5 minutes @ 15°C
Packaging:	750ml Can (12 / box)

Colours Available:

Black

Ref 200201

EdgeFast - COLD APPLIED BITUMEN EMULSION

A general purpose cold applied emulsion designed to improve bond performance of new material with existing bituminous substrates. The product is specially formulated for use on both vertical and horizontal joint faces on asphalt and macadam surfaces. The cationic formulation provides a fast break, and hence earlier weather resistance than anionic products. This material meets the guide specification in clause NG 6.5(2) of Appendix NG 6 of the Highways, Roads and Street Works Act 1991. Pouring grade cold joint paint also available.

Application Method:	
Approx Coverage:	Area: 0.6m² / kg
	Linear: 15m @ 40mm / kg
Breaking Time:	20 - 30 minutes @ 15°C
Packaging:	20kg tub
Cleaning:	Clean Water

Colours Available:

Black

Ref 200203

PatchMaster - COLD-LAY POTHOLE REPAIR MATERIAL

PatchMaster is a cold-lay repair material that has been specially formulated to enable first time surface restoration. It is ideal for re-instatement of utility cuts, filling and patching works such as potholes. The product is ideal where a rapid response is required for reactive maintenance works, or to enable re-opening of re-instatements to traffic without having to wait for hot-works operations. PatchMaster can be used throughout the year and can be used even in damp conditions for short-term reactive works.

- CE Marked, Complies to BS EN 13108-1:2006
- Retains flexibility in cooler conditions
- Straightforward easy application
- Incorporated anti-skid - exceeds 55 SRV
- Minimises road closure times
- Solvent-free formula reduces VOC's

Application Method:	Compaction
Compatible Substrates:	Asphalt
Traffic Time:	Immediately on compaction
Primer:	200201 BituSeal
Cleaning:	630621 TarBusta
Packaging:	See table →

		20kg Buckets	25kg Bags	1 Ton Bags
6mm	Black	Ref 200210	Ref 200208	Ref 200207
6mm	Red	Ref 200228	Ref 200232	-
10mm	Black	-	Ref 200236	-

YOU MAY ALSO NEED:

TarBusta	Steel Punner	BituSeal	ThermaBand Plus
25ltr - Ref 630621	Ref 630155	750ml - Ref 200201	Ref 340524
(see page 107 for more)	(see page 102 for more)	(see page 39 for more)	(see page 38 for more)

HardMaster - FAST SETTING MORTAR REPAIR SYSTEM

HardMaster is a high quality, easy to process, fast setting repair mortar qualified for general concrete repair that is ideal where rapid strength, durability and low shrinkage are desired. Can be used indoors and outdoors, also in wet areas, applied using similar methods to cement based materials. Applied in one layer from 0mm to 150mm depending on which type used. Initial set after 15 minutes and ready for traffic in 1 hour.

- High-Strength - in 1 hour already 17,0 N/mm²
- Non-Shrink and crack resistant
- Durable - under extreme conditions
- High resistance against many chemicals

	W675 - Smooth	W670 - Coarse
Compatible Substrates:	Concrete	Concrete
Approx Coverage:	0.05m² @ 50mm / 5kg kit	0.25m² @ 50mm / 25kg kit
Laying Thickness:	0mm - 100mm	15mm - 150mm
Cure Time - Initial set:	15 mins @ 15°C	15 mins @ 15°C
Cure Time - traffic:	60 mins @ 15°C	60 mins @ 15°C
Cleaning:	Water	Water
Packaging:	5kg	25kg

Colours Available:

Grey

W675 5kg - Ref 580263
W670 25kg - Ref 580264

W670 25kg bags also available for bulk orders - Ref 580260 (pallet - 48 bags)

YOU MAY ALSO NEED:

Ox Pro Mixing Paddle	OX Pro Carbon Steel Trowel	OX Pro Bucket Trowel	Powered Whisk
Rubber Blade - Ref 600227	120 x 280mm - Ref: 600214	125 x 50mm - Ref: 600213	Ref 600306
(see page 96 for more)	(see page 97 for more)	(see page 97 for more)	(see page 96 for more)

DekorGrip

THE PATH TO GREAT DESIGN

Every project that specifies a resin surface starts with a vision. Our unique and custom blends of natural aggregates will bring any architects, specifiers or property owners' vision to life. DekorGrip works to make your vision take form and become functional. Our projects are what drive us; we believe that all surfaces should be practical and beautiful. With DekorGrip, every surfacing dream can become a reality.

RESIN BOUND SURFACING

RESIN BONDED SURFACING

TREE SURROUNDS



DECORATIVE RUBBER SYSTEMS

DECORATIVE SAFETY SYSTEMS



INSTALLATION INNOVATION

ResinBound - PRESTIGE RESIN AGGREGATE SURFACING

SUDS Compliant

FEATURES AND BENEFITS:

- Durable, hardwearing and long lasting
- Smooth seamless finish with no loose stone
- Colour stable - long lasting colour retention.
- Endless design capability - vast range of blends
- Easy maintenance - no loose stones or weeds
- Rapid simple application
- Design flexibility - easily create bespoke patterns, letters and numbers using stencils, templates and metal edging.
- Personalise bespoke designs in larger areas with zones of colour.

ABOUT RESIN BOUND:

Resin bound aggregate paving solutions offering natural and recycled materials, unlimited colours and designs that no other type of paving can match.
Unlike many traditional paving systems, DekorGrip Resin Bound is permeable - demonstrating a sustainable approach to water conservation.

BREATHING FRESH LIFE INTO YOUR SURFACE



FULLY PERMEABLE:

DekorGrip Resin Bound has been developed as a fully permeable SUDS compliant system that prevents standing water. This allows the water to soak through the surface avoiding potential flooding.

COLOURS AND BLENDS AVAILABLE:

Barley Beach

Cornfield


Lunar Falls

Natural Wicker

Rich Havana

Sandringham

Barley Rose

Frosted Dawn

Mocha Beach

Oatmeal

Roasted Red

Many More Blend Options Available

YOU MAY ALSO NEED:

Ox Pro Resin Trowel
450mm - Ref 600153

(see page 97 for more)

DekorWipe
5kg - Ref 580208

(see page 107 for more)

Wooden Spazzle
600mm - Ref 630208

(see page 60 for more)

Resin Mixer
Ref 600301

(see page 96 for more)

ResinBond - TEXTURED BONDED AGGREGATE SURFACING



FEATURES AND BENEFITS:

- Durable, hardwearing and long lasting
- Offers excellent anti-slip properties
- No muck away costs on existing surfaces
- Endless design capability - vast range of blends
- Maintains and enhances surrounding environments
- Little maintenance required
- Design flexibility - easily create bespoke patterns, letters and numbers.
- Quick, easy and cost effective to install
- A textured natural finish with anti-slip properties and no loose stone.

ABOUT RESIN BONDED:

DekorGrip Resin Bonded aggregate paving solutions offering natural and recycled materials with unlimited colours. Resin bond can transform tired and worn surfaces simply and attractively, in even the most demanding of circumstances, harmonising perfectly with surroundings.

COLOUR AND DESIGN CAPABILITIES



In a range of colours, textures and aggregates, we can exactly match aesthetic demands as well as anti-skid, colour and function specifications. Logos, designs, motifs, lettering and more can all be incorporated to create innovative and stunning surfaces.

COLOURS AND BLENDS AVAILABLE:

Amber Flint

Brittany Bronze

Corn Flint

Grey Bauxite

Rhine Gold

Autumn Gold

Buff Bauxite

Danish Quartz

Red Granite

Many More Aggregate Options Available

YOU MAY ALSO NEED:

Serrated Squeegee
280mm - 6mm - Ref 600150

(see page 97 for more)

Advanced Thinners
25ltr - Ref 630629

(see page 29 for more)

DekorCryl Kit
20kg - Ref 560162

(see page 59 for more)

Ox Premium Mixing Paddle
100 x 600mm - Ref 600211

(see page 96 for more)

TreePit - SPECIALIST TREE SURROUND SYSTEMS

Perfect For Urban Projects

FEATURES AND BENEFITS:

- Natural finish with no loose stone
- Does not blow or scatter around
- Allows free flow of air and water to the root zone
- Clean look and feel - reduces trapped litter
- Cost effective and easy to maintain
- Highly effective weed control, eliminates the need for strimming and spraying
- Increased safety - reduced trip hazards

ABOUT TREE SURROUNDS:

DekorGrip TreePit system is a well proven, hard wearing and attractive porous tree surround.
Loose stones and mulch are a nuisance in pedestrian environments, and tarmacadam or conventional paving has the effect of an impervious cap over the tree pit. The nature of the TreePit system results in a highly porous tree-friendly surface immediately adjacent to the tree.



Tree surrounds are a great solution for the environment and safety. Tree surrounds prevent migration of material round the tree meaning reduced mess and less maintenance. With an increased free flow of air and water, tree pit systems promote tree growth and encourage roots to grow down, eliminating trip hazards and pavement destruction.

COLOURS AND BLENDS AVAILABLE:

Autumn Sunset

Hazelstone

Sand Yellow


Sandringham

More Blend Options Available

YOU MAY ALSO NEED:

Ox Pro Resin Trowel
450mm - Ref 600153

(see page 97 for more)

DekorWipe
5kg - Ref 580208

(see page 107 for more)

Cranked Handle Paint Brush
50mm - Ref 600191

(see page 98 for more)

Resin Mixer
Ref 600301

(see page 96 for more)

RubberMulch - SUPERIOR RUBBER MULCH SURFACING

FEATURES AND BENEFITS:

- Enhances woodland or sensitive areas such as tree roots
- Environmental - made from 100% recycled rubber
- Install directly on compacted gravel or similar
- Low maintenance and highly effective weed control
- Remains tidy - doesn't absorb water. Will not rot or blow away
- Permeable - allows the free flow of air and water

ABOUT RUBBER MULCH:

Manufactured from 100% premium recycled tyres, DekorGrip Rubber Mulch offers a soft bound finish with the appearance of natural bark mulch. Apply with DekorGrip rubber binder to create a unique, maintenance free surface – a superb alternative to organic mulches. DekorGrip Rubber Mulch has been applied in many locations where loose bark mulch has previously been used. Varied range of colour options available depending on your individual requirement.



"IMMEDIATELY PLEASING RESULTS, THE KIDS LOVE THIS SAFE SURFACE"

COLOURS AND BLENDS AVAILABLE:


Aquamarine

Arizona


Chestnut

Driftwood

Sandalwood

More Blend Options Available

YOU MAY ALSO NEED:

Ox Pro Resin Trowel
450mm - Ref 600153

(see page 97 for more)

Rubber Roller Hire
Ref 940232

(see page 69 for more)

DekorWipe
5kg - Ref 580208

(see page 107 for more)

Resin Mixer
Ref 600301

(see page 96 for more)

RubberCrumb - SUPERIOR RUBBER CRUMB SURFACING

FEATURES AND BENEFITS:

- Spectrum of vibrant colour options available - brightens up and brings your surface to life.
- Meets safety standards and conforms to fall height requirement BS EN 1177:2008.
- Maintains and enhances surrounding environments
- Simple, fast and easy application.
- Weather resistant, extremely durable and hardwearing.
- Clean and tidy - no cracking with a smooth clean finish.

ABOUT RUBBER CRUMB:

DekorGrip Rubber Crumb is a soft lay system manufactured from premium rubber with a wide spectrum of colour options, giving a clean, smooth, vibrant finish. Rubber crumb can be installed in many areas, but is ideally suited where young children or elderly people are present, where there is a risk of falling and safety is a high priority.

COLOUR AND DESIGN CAPABILITIES

Give your surface a personal touch by incorporating bespoke designs, colour variations and patterns for a unique seamless finish.

COLOURS AND BLENDS AVAILABLE:

Beige

Bright Yellow

Orange

Purple

Turquoise

Bright Red

Light Green

Pink


Standard Blue

Many More Colour Options Available

YOU MAY ALSO NEED:

Ox Pro Resin Trowel
450mm - Ref 600153

(see page 97 for more)

Rubber Roller Hire
Ref 940232

(see page 69 for more)

DekorWipe
5kg - Ref 580208

(see page 107 for more)

Cranked Handle Paint Brush
50mm - Ref 600191

(see page 98 for more)

RubberAgg - RESIN BOUND HYBRID RUBBER SUB-BASE

The flexible nature of a rubber and aggregate blend means it is highly resistant to sub-surface movement, giving an extremely low maintenance and slip resistant surface that can be installed straight onto compacted gravel or similar.

- Flexible
- Eco Friendly - uses recycled car tyres
- Good level of slip-resistance
- Good impact absorbing qualities

EcoGrid - INTERLOCKING SUB-BASE GRID SYSTEM

EcoGrid is an interlocking grid system, ideal for use when installing DekorGrip Resin Bound surfacing. In the past, resin bound surfaces are normally laid over a variety of sub-bases, such as porous asphalt or tarmac, which can be very time consuming and costly to install.
EcoGrid removes this inconvenience and offers a quick, easy to install, cost effective and eco-friendly sub base layer.

- Fast and easy application
- Saves time when preparing your sub base
- Saves the need for heavy excavations
- Available in depths of 30, 40 and 50mm



Edging - ALUMINIUM EDGING PROFILES

Aluminium edging profile is flexible but tough design for use mainly with Resin Bound installations. Is a simple but effective system, removing the need for costly edging systems like cobbles, blocks etc. Can also be used for laying patterns and intricate designs into your surface, especially with DekorGrip Resin Bound applications. Available in a range of profile heights, from 18mm-150mm.

- Fast and easy application
- Flexible but tough design
- Dry fix application
- 100% recycled aluminium



Joints - DEKORGRIP RUBBER EXPANSION JOINTS

Expansion joints are ideal for bridging construction joints in a concrete subbase, and areas where there is potential for movement causing reflective cracking in resin bound surfacing. The high quality epoxy compound infill will absorb movement and can be supplied in a range of colours.

- Absorbs ±1.8mm of movement
- Range of heights up to 25mm
- Can be driven over once installed
- Average resistance to chemicals

DekorPave - DECORATIVE TRAFFIC CALMING SOLUTION

Excellent For Traffic Calming Schemes

DekorPave is a range of 'stick-on' synthetic pavers designed for use where the look of modular paving is required, but without the movement, intrusive application methods and other issues associated with traditional setts and pavers. They are highly stable to resist deformation by traffic, with a high slip resistance.

- Very durable – manufactured from PMMA
- 2 styles available – rustic and modern
- Fast to install – minimising road closure times
- Installed to existing surface – no digging out required
- Can be used for rumble strips
- Various colours, sizes and aggregates used

Application Method:	
Compatible Substrates:	Asphalt and Concrete
Primer:	Asphalt - 580194 ScratchCote
	Concrete - 560147 UltraPrime
Sizes Available (mm):	100x100, 120x120, 150x150, 200x150
Thickness:	7mm (±2mm)
Packaging:	2m² / 28kg box

Colours Available:

Winter Frost

Argent Grey

Dutch Yellow



Rich Red



Urban Grey

Other Sizes & Colour Options Available

YOU MAY ALSO NEED:

Powered Mixing Whisk	Gaffer Tape	Serrated Squeegee	UltraClean
Ref 600306	75mm - Ref 610133	560mm 6mm - Ref 600194	9ltr - Ref 630623
(see page 96 for more)	(see page 95 for more)	(see page 97 for more)	(see page 29 for more)

UltraForce - ANTI-SKID MMA BONDED SYSTEM

New For 2017

Rapid cure MMA resin technology for high friction surfaces with excellent adhesion and durability. Suitable for high stress areas, it is simple and easy to apply all year round using familiar methods. The system reaches full cure in minutes, even at lower temperatures, allowing rapid reopening of highways.

- Very hard wearing
- Rapid cure times
- Excellent stone retention
- Reduces road closure times
- Solvent free
- Ideal for new surfaces

Application Method:	✓
Compatible Substrates:	Asphalt and Concrete
Void Filler:	Asphalt - 580194 ScratchCote
Primer:	New Asphalt - 560143 UltraNuvo
	Concrete - 560147 UltraPrime
Approx Coverage:	6 – 8m² / 24kg kit
Traffic time:	60 minutes @ 15°C
Cleaning:	630623 UltraClean

Colours Available:

Buff

Ref 350263

Grey



Ref 350274

Red

Ref 350265

YOU MAY ALSO NEED:

Powered Mixing Whisk	Gaffer Tape	UltraNuvo	ScratchCote
Ref 600306	75mm - Ref 610133	2.5kg - Ref 560143	22.5kg - Ref 580194
(see page 96 for more)	(see page 95 for more)	(see page 34 for more)	(see page 27 for more)

DekorCryl - ACRYLIC VOID FILLER EMULSION

DekorCryl is an acrylic co-polymer emulsion, specifically formulated as an additive for void-filler slurry coats used for sealing porous, bituminous substrates in preparation for the application of resin bond coats.

- Increases workability of slurry mix
- Improves adhesion of slurry to the surface
- Helps to prevent bleeding of bitumen
- Mix with sand & cement to create a slurry seal

Application Method:	
Approx Coverage:	1m² / Litre
Compatible Substrates:	Asphalt
Cure Time:	4 - 8 Hours @ 15°C
Cleaner:	Water
Packaging:	20ltr and 1000ltr IBC

Colours Available:

Grey

20ltr - Ref 560104
1000ltr - Ref 560103

YOU MAY ALSO NEED:

Powered Mixing Whisk	Ox Pro Mixing Paddle	Gaffer Tape	Flat Blade Squeegee
Ref 600306	Rubber Blade - Ref 600227	75mm - Ref 610133	300mm - Ref 600128
(see page 96 for more)	(see page 96 for more)	(see page 95 for more)	(see page 97 for more)

DekorCryl Kit - SURFACE VOID FILLER KIT



Essential For Resin Bond

DekorCryl is used for sealing porous, bituminous substrates in preparation for the application of resin bond coats. The DekorCryl Kit now comes packed with all the ingredients ready to mix, removing the requirement to obtain additional materials prior to application.

- No need for additional materials
- Consistent slurry mixture
- Faster curing time than standard DekorCryl
- Helps prevent bleeding of bitumen
- Helps to maintain correct coverage of resin
- Ensures a better consistent finish to final coat

Application Method:	
Approx Coverage:	5-10m² / 20kg (kit)
Compatible Substrates:	Asphalt
Cure Time:	Approx 2 hours @ 15°C
Cleaning:	Water
Packaging:	20kg Kit

Colours Available:

Beige

Ref 560162

YOU MAY ALSO NEED:

Powered Mixing Whisk	Ox Pro Mixing Paddle	Gaffer Tape	Flat Blade Squeegee
Ref 600306	Rubber Blade - Ref 600227	75mm - Ref 610133	300mm - Ref 600128
(see page 96 for more)	(see page 96 for more)	(see page 95 for more)	(see page 97 for more)

Spazzles - FLAT BLADE LUTES AND SPAZZLES

Used for leveling of resin bound and removing surplus aggregate on resin bonded, these spazzles are an essential addition for anyone laying a resin surface.

- 600mm wide for optimum use
- Wooden – light, easy to use to achieve a regulated surface when laying resin bound
- Aluminium – ensure a complete coverage of aggregate when applying resin bonded

Stencils - BESPOKE STENCILS TEMPLATES

Wooden stencils to create the design required, from simple to complex, all taken from a clear drawing and cut from plywood or MDF using our in-house CNC router table.

- Easily create bespoke patterns
- Make your surface stand-out
- Have an idea? Call today to find out more

Solarlites - SOLAR POWERED GROUND LIGHTS

For areas that require night time delineation, the SolarLites are a very economic alternative to hard wiring – this product is ideal for those wanting optimum performance, minimal maintenance and great value for money, all with a quick and cost effective installation with minimal disruption.

- No electricity required
- Unique 360° visibility
- Skid resistant
- High visibility – up to 500m



DEKORGRIP AND THE ENVIRONMENT

LOW CARBON FOOTPRINT

Cold applied low energy laying methods. Can eliminate the need to remove existing surface, thus avoiding muck away transport. Typically thin layer means minimum raw material consumption.

HIGH RECYCLING ELEMENTS

Recycled and renewable sources are the make-up of all DekorGrip surfacing. Once the system has reached the end of its useful life the material can be recycled as an inert aggregate.

LONG LIFE OF FINISHED BUILD

Laboratory and live testing extending back over 15 years gives the DekorGrip systems guaranteed longevity. Maintenance manuals and cleaning products are available in order to keep your surface in tip top condition.

EASE OF REINSTATEMENT

Systems can be matched and reinstated easily with identical formulation.

SAFE TO INSTALL

No hot works or odours combined with quick curing times means that obstructions and disruptions are kept to an absolute minimum.

Graco - MARKING APPLICATION AND REMOVAL MACHINES

- LineLazer
- ThermoLazer
- FieldLazer
- GrindLazer
- LineDriver
- Hire & Service
- Training & Support

LineLazer - AIRLESS LINE STRIPING MACHINES

The LineLazer family of stripers has constantly been improved to meet the changing needs of the surface marking industry, each time delivering substantial benefits to the professional striping contractor. The LineLazer V system continues the tradition of delivering innovation and performance, creating an unmatched family of stripers.

STANDARD SERIES

- LiveLook display with smart control
- EasyMark gun adjustment system
- New EZ align wheel system
- Advanced Vibration Reduction System (AVRS)
- Quick and easy gun removal
- Rugged and Reliable Endurance Pump
- Easy glide swivel wheel with Locking feature for straight line control.
- Powerful flow for faster striping and higher productivity.
- Long reach gun hose for hand spraying templates and coatings.
- Reliable easy start Honda engine

HP AUTOMATIC SERIES

- All the Standard series features plus...
- Automatic Paint Gun System
- Semi-Automatic Guns
- Data Logging Information
- On-Board Battery Power

HP REFLECTIVE SERIES

- All the Standard & Auto series features plus...
- Automatic Paint Gun System
- Semi-Automatic Guns
- Data Logging Information
- Pressurized or Gravity Bead System

LINELAZER V 3400 - MECHANICAL WALK BEHIND STRIPER

The LineLazer 3400 is the preferred choice for contractors who are looking for professional performance in a 1-gun striper. This striper is ideal for carparks, facility maintenance companies and departments, schools, park and recreation departments.

- Ideal for marking out parking bays and cycle ways
- Lightweight machine for easy transport and manoeuvrability
- Great for intricate stencil marking
- Excellent power and proven reliability

LINELAZER V 3900 - MECHANICAL WALK BEHIND STRIPER

Ideal For Facilities Management

The LineLazer V 3900 is the airless line striping choice. Designed to deliver the most precise and consistent lines in the industry, the perfect choice for marking out medium or large car parks, road lining jobs and more. With the option to add a LineDriver, the performance of the LineLazer V 3900 is unmatched.

- AVRS = advanced vibration reduction system
- EZ align front wheel system
- Easymark gun system with quick gun selector
- Livelook display and much more

LINELAZER V 5900 - MECHANICAL WALK BEHIND STRIPER

The LineLazer V 5900 continues to be the mid to heavy-duty striping solution for professional contractors who recognize the increased productivity this machine delivers. With its ability to use 1 or 2-gun airless paint guns, there is no job too big or small, large car parks to city streets and everything in between.

- AVRS = advanced vibration reduction system
- Skip line system
- Easymark gun system with quick gun selector
- Livelook display and much more

LINELAZER V 130HS - HYDRAULIC WALK BEHIND STRIPER

The LineLazer V 130HS is the ultimate hydraulic airless striping unit that contractors rely on for their most challenging striping jobs. Professional striping contractors wanting hydraulic performance and proven power can't go wrong with the LineLazer V 130HS.

- Hydraulic pump - great longevity and pump action
- AVRS = Advanced Vibration Reduction System
- EZ Align Front Wheel System
- EasyMark Gun Adjustment System
- DualComfort Handle Bar System
- Quick Select Gun Selector
- Rear-gun Mount System
- Compatible with Graco LineDriver

STANDARD SERIES

LINELAZER V 200HS - HYDRAULIC WALK BEHIND STRIPER

The LineLazer V 200HS is the high performance hydraulic striper you'll want for your most demanding jobs. Its proven history of innovative features has made it the striper of choice for contractors demanding a true workhorse. The LineLazer V 200HS is the perfect unit for large car park jobs, airports, and local authority jobs that not only require precise lines but also demand reflective beads.

- Hydraulic pump - great longevity and pump action
- Advanced Vibration Reduction System
- EZ Align Front Wheel System
- EasyMark Gun System
- Quick Select Gun Selector (automatic & mechanical)
- LiveLook Display
- DualComfort Handle Bar System
- Rear-gun Mount System
- Bead tank and guns
- LineDriver – optional

STANDARD SERIES

HP AUTOMATIC SERIES

HP REFLECTIVE SERIES

Illustrated

LINELAZER V 250SPS - HYDRAULIC RIDE-ON STRIPER

High performance, self-propelled striping with automatic paint guns makes the LineLazer V 250SPS the preferred striper for professional contractors who demand more. This striper is ideal for large, heavy-duty line striping jobs including car parks, airfields and road jobs.

- Hydraulic pump - great longevity and pump action
- AVRS - Advanced Vibration Reduction System
- EasyMark Gun System
- LiveLook Display
- DualComfort Handle Bar System
- Automatic Quick Select Gun Selector
- Rear-gun Mount System
- Bead tank and guns
- Skip Line System
- Self-Propelled System

Illustrated

LINELAZER V 250DC - HYDRAULIC RIDE-ON STRIPER

Ideal For Large Projects - Airfields & Highways

High performance, self-propelled striping with automatic paint guns makes the LineLazer V 250DC the preferred striper for professional contractors who demand more. This striper is ideal for large, heavy-duty line striping jobs including car parks, airfields and road jobs.
Spray two colours simultaneously with Gracos new LineLazer V 250DC. Ideally suited for airports, municipalities, DOTs or anyone who needs to spray highlight lines or other dual-colour striping.

- Features as the LLV 250SPS, plus
- Dual colour tanks - 2 colour spraying in 1 pass
- Dual Bead tank and guns

Illustrated

LL V 250MMA 98:2 - RIDE-ON 2-COMPONENT STRIPER

Spraying 2-component 98:2 MMA road markings has never been more reliable than with the LineLazer V 250mma 98:2.
Based upon the LineLazer V 250 range, this unit provides it all: built in 98:2 mixing capabilities and Ratio Assurance, on-board storage tanks and solvent flushing capabilities.

- Hydraulic MMA Pump
- Mechanical Liquid Peroxide (BPO) Pump
- On Board Solvent Tank And Pump
- Mix Ratio Assurance System And Alerts
- AVRS - Advanced Vibration Reduction System
- Easymark Gun Adjustment System
- Livelook Display
- Automatic Quick Select Gun Selector
- Rear-gun Mount System
- Pressurised Bead Tank And Gun System
- Self Propelled System
- Skip Line System

LINEDRIVER - RIDE-ON POWER FOR STRIPING SYSTEMS

Why walk when you can ride? Connect LineDriver to your LineLazer V striper and double your striping production. The LineDriver is engineered to meet your needs, revolutionizing the way you work while completing jobs in half the time.

- Increases productivity
- Forward speeds to 10mph (6mph reverse)
- Helps produce more consistent lines
- Exclusive dual pedal design - forward & reverse
- Advanced Vibration Reduction System
- Fully adjustable light bar System

GRINDLAZER 270 - PROFESSIONAL SCARIFIER

The GrindLazer 270 is the ideal scarifier for removing parking lot lines. It's EasyGlide Wheel Mount System makes it as easy to use as a LineLazer and its rugged, innovative design means you can count on it to perform for a lifetime of use.

- Easy glide front wheel mount system
- Tri belt drive system - optimizes power transfer
- Easy starting and shut off of cutters.
- Easy to maneuverer - better precision

GRINDLAZER 390 - PROFESSIONAL SCARIFIER

The GrindLazer 390 is the contractor choice for all-around scarifying jobs including parking lot lines, intersection markings, construction zones and sidewalk smoothing. With the optional LineDriver system its productivity is unmatched and means you can get more work done every day without the fatigue from walking.

- Vibration Reduction Technology
- Pneumatic tires, to reduce user fatigue
- Adjustable Depth Control
- Fast and easy to manoeuvre

GRINDLAZER 630 - PROFESSIONAL SCARIFIER

The GrindLazer 630 is the high production choice when it comes to the most demanding scarifier jobs. With its "Up-Cut" cutting direction, you not only are able to remove all types of lines found on parking lots or roadways, but also have the power to do inlay/grooving jobs. Combined with the LineDriver, you'll finish jobs faster and more accurately than ever before.

- Vibration reduction technology
- Pneumatic tires, to reduce user fatigue
- Adjustable cutter depth control
- Fast and easy to manoeuvre
- Requires a Line Driver due to size and power

MACHINE SUPPORT & PARTS

You don't just buy a machine at Meon... We support all our machines with technical know-how, free advice and your very own particular application or problem.

Our support team will be able to help you about what product to apply, how to apply it, the best tips and points to watch out for. If there is an issue or parts are worn, Meon hold a large range of standard stock parts as well as a quick turnaround on any special part of a machine we supply.

Product Ref:	Description:
600878	Graco Switch Tip LL5.213
600879	Graco Switch Tip LL5.215
600880	Graco Switch Tip LL5. 217
600881	Graco Switch Tip LL5.219
600882	Graco Switch Tip LL5.315
600883	Graco Switch Tip LL5.317
600884	Graco Switch Tip LL5.319
600885	Graco Switch Tip LL5.321
600886	Graco Switch Tip LL5.417
600887	Graco Switch Tip LL5.419
600888	Graco Switch Tip LL5.421
600889	Graco Switch Tip LL5.621
600890	Graco Switch Tip LL5.623
600891	Graco Switch Tip LL5.625
600892	Graco Switch Tip LL5.627
600893	Spraygun Tip 115 Green
600894	Spraygun Tip 215 Green
600895	Spraygun Tip 315 Green
600896	Spraygun Tip 317 Green
600897	Spraygun Tip 319 Green
600899	Spraygun Tip 419 Green
600900	Spraygun Tip 421 Green
600901	Spraygun Tip 423 Green
600902	Spraygun Tip 517 Green
600903	Spraygun Tip 519 Green
600904	Spraygun Tip 523 Green
600905	Spraygun Tip 525 Green
600906	Spraygun Tip 531 Green
600908	Spraygun Tip 627 Green
600909	Spraygun Tip 629 Green
600910	Spraygun Tip 631 Green
600929	HandTite Tip Guard 7/8in Orange - 243161
600927	Tip Seal (pack of 5) - 243281
600835	LL3400 Pump Seal Kit - 244194

Product Ref:	Description:
600837	LL3900 Pump Seal Kit - 248212
600839	LL5900 Pump Seal Kit - 248213
600841	LL200HS Pump Seal Kit - 246341
600843	130HS Pump Seal Kit - 288471
600821	Gun Hose 3/8in x 50ft - 245225
600824	Gun Hose 1/4in x 50ft - 249080
600826	Pump to Filter Hose 3/8in x 3ft - 245797
600827	Whip Hose 1/4in x 7ft - 245798
600838	LL4 & LL5 200HS Suction Hose - 194306
600840	Suction Hose 25mm x 1m - 185381
600844	1in Suction Tube - 15F149
600846	LL3400 Suction Hose & Tube Set - 287683
600850	Recirculation Tube & Diffuser - 245731
600860	Recirculation/drain valve - 245103
600862	Recirculation Valve - 239914
600812	LL3400 Gun Cable Kit - 15E992
600942	LL4 & LL5 Gun Cable Kit - 287696
600820	LL3, LL4 & LL5 Wheel Cable 241445
600863	LL4 & LL5 Filter 'O' Ring - 117285
600867	LL4 & LL5 Filter Support - 15C766
600971	Easy-Out Filters 30 Mesh (Grey) - 244071
600972	Easy-Out Filters 60 Mesh (Black) - 244067
600973	Easy-Out Filters 100 Mesh (Blue) - 244068
601057	Easy-Out Filters 50 Mesh (Orange) - 25A465
600937	Graco flex paint gun - 248157
600938	Graco Gun Repair Kit - 235474
600831	Pointer Kit - 277062
601105	LineLazer 5 - Lazer kit complete - 25A691
600815	GrindLazer Steel Spacers - 24D981
600871	Piston Lubricant 247ml
600872	Piston Lubricant 946ml
600875	Honda Engine Starter Cord (per metre)
600876	Honda Engine Oil
600877	Honda Engine Spark Plug

MACHINE SERVICING

We realise how important a good working machine is to you and how much it costs in real terms, as well as frustration when it doesn't work to its full potential.
We can arrange nationwide collection and delivery and offer general machine maintenance through to full refurbishment.



MACHINE HIRE

A range of machines for almost every application of Meon product. Other machines also available.
Call today for more. Nationwide delivery available.

LineLazer 130HS
Ref 940220

Grindlazer
Ref 940224

LineDriver
Ref 940228

HeatForce 1 Line Dryer
Ref 940229

HeatForce 2 Surface Dryer
Ref 940230

Zirrocco Surface Dryer
Ref 940236

Forced Action Pan Mixer
Ref 940231

Rubber Crumb Roller
Ref 940232

HEATFORCE 1 - LINE DRYER

The HeatForce 1 is the effective answer to wet surface conditions in road marking. It is a propane/compressed air burner that produces a concentrated, powerful, high velocity flame which disperses water and dries remaining dampness. Simply connect to gas bottle (not supplied) for an effective surface drying procedure that can also remove some areas of thermoplastic markings.

- Small and light weight allowing for easy transportation
- Makes line laying faster and easier
- Gives better adhesion when laying new lines
- Efficient and cost effective
- Allows you to work in less predictable conditions

Product Ref:	600412
Dimensions:	approx 950mm(H) x 850mm(L) x 550mm(W)
Max Air Flow:	10 cfm
Noise level:	98 Decibels

HEATFORCE 2 - SURFACE DRYER

Optimal, economic results by a powerful gas burner in connection with a high rate of airstream. For drying road surfaces before applying road markings. Can be used for heating up the road surface on cold days achieving a better adhesion of the marking material. There are 2 sizes of dryer head available.
The head can be mounted on the front of the HeatForce 2 or on either side for depending on user preference.

- Makes line laying faster and easier
- Gives better adhesion when laying new lines
- Reduce down time in less predictable conditions
- Push along and easily transportable
- No “naked flame”

Product Ref:	600413
Drying Width:	300 or 600mm
Noise level:	94 dB(A) at full speed over 1 m distance

ZIROCCO - GAS TURBINE SURFACE DRYER

The Zirocco road dryer brings turbine technology and state-of-the-art mobile electronic controls into surface treatment for the road marking industry. Zirocco is a self-contained machine, utilising gas turbine technology to ensure extremely effective drying and cleaning of roads, runways and other surfaces, ensuring revenue is always being generated - even out of season.
The Zirocco allows new materials to be laid within 10 minutes of rainfall, pre-heating the surface as well which can reduce product cure time, all minimising down time.

- Effective cleaning and drying with very low operation costs
- Estimated pay-back time of the machine is below 100 hours of operation.
- Independent and convenient handling of the machine as there is no need for an air compressor.
- Uses standard diesel EN 590. No pressurized LPG used
- Very flexible machine that can be used both as a hand pushed version for small jobs and pushed by a Graco line driver for larger projects.
- Can also be mounted directly to a vehicle - enquire for more details

Product Ref:	600438	Drying Width:	Approx 300mm

YOU MAY ALSO NEED:

Graco LineDriver	Turbine Air Filter	Turbine Oil	Telematic Service
Ref 600720	Ref 600440	Ref 600441	24 months - Ref 600442
(see page 66 for more)			

GLASS BEADS - REFLECTIVE GLASS BEADS

Reflective glass beads to enhance night time visibility and safety by reflecting the light back to the source. A mandatory requirement for all white highway markings, new development on coatings to help assist performance, adhesion and curing for instance.



Product Ref:	Description:	Packaging:	Suitable for use with:
570806	Reactive Reflective Glass Beads For Waterbased	25kg	Spectrum VersaLine Paint
570809	Reflective Glass Beads	25kg	Thermoplastics
570810	Reactive Glass Beads For MMA	25kg	MMA Paint Systems
570814	Ultralux Type II Reactive Glass Beads	25kg	Basler MMA Paint Systems





ADDITIVES - GLASS GRAIN AND ANTI-SKID ADDITIVES

As part of the Spectrum and DekorGrip range, many different grade aggregates are available for either mixing with or over scattering after paint or resin applications. Greatly increases slip resistance to required performance.

Different types of SRV, grades and weights available. Please feel free to call for more details.



BROADCAST
Broadcast grain or additives onto wet films for maximum slip resistance.



MIXED
Mixed into product and also broadcast, for better durability and service life



ENCAPSULATED
Broadcast onto first layer of wet film. When dry recoat, encapsulating grain or additives

Product Ref:	Description:	Grain Size:	Packaging:	Strength:
570804	Glass Grain GEM500	90 - 1000micron	25kg	5 - 6 Moh
570802	Glass Grain GEC850	425 - 1400micron	25kg	5 - 6 Moh
570146	Molochite	0.2 - 0.5mm	3.2kg	7 - 8 Moh
570107	Calcined Flint	1 - 1.5mm	25kg	6 - 7 Moh
570106	Bauxite Buff Aggregate - Ped Grade	0.9 - 1.4mm	25kg	9 Moh
570105	Bauxite Grey Aggregate - Ped Grade	0.9 - 1.4mm	25kg	9 Moh
570116	Bauxite Buff Aggregate - Traffic Grade	1 - 3mm	20kg	9 Moh
570113	Grey Bauxite Aggregate - Traffic Grade	1 - 3mm	20kg	9 Moh
570122	Anti Skid Aggregate Bold Red	1 - 3mm	20kg	7 Moh
570109	Anti Skid Aggregate Blue	1 - 3mm	20kg	7 Moh
570118	Anti Skid Aggregate Green	1 - 3mm	20kg	7 Moh
570120	Anti Skid Aggregate Black	1 - 3mm	20kg	7 Moh

STENCILS - QUALITY RANGE OF SURFACE MARKING STENCILS

A huge selection of stencils available on a variety of materials. Whether you're looking for a quick fix simple marking or a long-lasting template, Meon will have something for you. Our stencils offer an easy way to create perfect letters, numbers and diagrams for many surface markings. Can be used with thermoplastic, cold plastics or spray paint materials. If you can't find what you're after, please give us a call and we'll be happy to find a solution.

BESPOKE STENCILS



With our in house design team and router CNC machine we can produce nearly any kind of stencil design you may require. Available to cut onto HD Plastic or Rubber. Phone today for more details on 0808 118 1922.

HD BLACK PLASTIC

Extensive range of characters, symbols, diags and also any bespoke designs that you may require. Resistant to thinners and solvent cleaners giving you maximum durability.

PERFORATED RUBBER

Perfect way to premark for letters, numbers and diagrams for road markings when using thermoplastic or cold plastic material. All rubber stencils are made to order.

POLYPROPYLENE

Very flexible stencil, enabling perfect marking on many surfaces. Lightweight with high impact resistant qualities.

STENCILS - MATRIX OF SIZES

Description:	Size:	Black Plastic - Ref	Rubber - Ref
S45 Disabled Person Symbol	800mm high	620801	620105
S45 Disabled Person Symbol	1200mm high	620803	620111 - 1100mm high
S45 Disabled Person Symbol	1400mm high	620804	620114
S3 Pedestrian & Child Symbol	1400mm high	620317	620115
S2 Pedestrian Symbol	600mm high	620310	620103
S2 Pedestrian Symbol	1000mm high	620314	620110
S2 Pedestrian Symbol	1200mm high	620757	620136
Black Plastic Stencil Kit in holdall A-Z/0-9	300mm	620754	-
Electric Charge Point	1200 x 600mm	620850	-
Electric Vehicle Logo	1000 x 1000mm	620937	-
S65 EV Charging Point	-	620808	-
Straight Arrow P1038	4000mm	620923	620121
Left/Right Arrow - P1038	4000mm	620924	620124
Double Head Arrow - P1038	4000mm	620925	-
Straight & Turn Arrow - P1038	4000mm	-	620122
Deflection Arrow - P1014	4500mm	-	620123
Left/Right Arrow - P1038	6000mm	-	620126
Straight & Turn Arrow - P1038	6000mm	-	620127
Deflection Arrow - P1014	6000mm	-	620128
Straight & Turn Arrow - P1038	9000mm	-	620131
Deflection Arrow - P1014	9000mm	-	620132
P1057 Cycle Symbol	750mm x 1215mm	620315	620112
P1057 Cycle Symbol	1100 x 1780mm	620877	620117
P1057 Cycle Symbol	1700 x 2750mm	-	620119
P1059 Cycle Lane Straight Arrow	175mm x 1000mm	-	620106
P1059 Cycle Lane L/R Arrow	250mm x 1000mm	-	620109
P1059 Cycle Lane Straight Arrow	350mm x 2000mm	-	620118
(Quarter) P1065 Stretched Roundel	1500 x 7500mm	-	620134
(Half) P1065 Stretched Roundel	1500 x 4300mm	-	620133
30mph Roundel	2000 x 840mm	-	620137
40mph Roundel	1200 x 2500mm	-	620138

A-Z/0-9 also available - sizes vary from 300mm to 1600mm (cut to order)

CUSTOM STENCILS - There are many more options available. From corporate logos and fonts through to playground games and designs. The sky is the limit for custom designing.

TRACING - HIGH QUALITY ACRYLIC AEROSOL LINE MARKER

Premium aerosol paint. An acrylic line marker that will produce the best possible lines from an aerosol. Aerosol applicators available to suit.

- High performance paint for excellent coverage
- Available in 500ml cans
- Unique nozzle for perfectly crisp edges
- Free of all harmful substances
- Safe and easy to use

Approx Coverage:	40 - 55 mtrs of 50 mm line/can
Dry Time:	15 - 20 minutes
Compatible Substrates:	Concrete, Asphalt & Pavers
Packaging:	500ml - 12 cans / box

Colours Available:

White	Yellow	Red	Blue
Ref 301108	Ref 301109	Ref 301113	Ref 301110

Black	Green
Ref 301112	Ref 301111

TRACING PLUS - SATIN FINISH AEROSOL PAINT

Professional aerosol acrylic line marking paint - the ultimate in aerosol paint marking, with the added bonus of a satin finish for maximum durability and brightness.

- High performance paint for excellent coverage
- Best aerosol for indoor linemarking
- Unique nozzle for perfectly crisp edges
- Free of all harmful substances

Approx Coverage:	60 - 85 mtrs of 50 mm line/can
Dry Time:	15 - 20 minutes
Compatible Substrates:	Concrete, Asphalt & Pavers
Packaging:	750ml - 6 cans / box

Colours Available:

White	Yellow	Red	Blue
Ref 301106	Ref 301107	Ref 301105	Ref 301101

Black	Green	Orange
Ref 301103	Ref 301102	Ref 301104

PROMARKER - PROFESSIONAL SPOT AND SITE MARKER

Premium quality paint in cans with the option of either 500 or 750ml cans for universal marking. Will empty completely, never clog and gives the option of short term line marking as well as spot marking. Excellent colour range from stock.

- Environmentally friendly formulation
- Wide range of colours, ideal for utility markings
- Ease of use due to non-block formulation
- 500ml - 12 cans / box
- 750ml - 6 cans / box

Yellow	Red	White	Black	Grey	Blue	Orange	Green
500ml - 301624 750ml - 301625	500ml - 301620 750ml - 301621	500ml - 301622 750ml - 301623	500ml - 301614 750ml - 301615	500ml - 301618	750ml - 301616	750ml - 301619	750ml - 301617

FLUO TP - FLUORESCENT TEMPORARY SPRAY MARKER

Fluo TP is an inverted aerosol marker designed for applications requiring the use of a high visibility paint to last 9-12 months. Typical uses include forestry operations, landscaping, surveying, groundworks, utilities tracing and marking. Available in 500ml can - 12 cans to a box.

- Marking life duration of 9 to 12 months
- Use in temperatures of -15°C to 50°C
- High-visibility fluo colours
- Large colour selection

Cerise	Yellow	Red	Blue	Orange	Green
Ref 301609	Ref 301613	Ref 301612	Ref 301608	Ref 301611	Ref 301610

TEMPO TP - WATER BASED BIODEGRADABLE MARKER

High quality water based biodegradable marker, ideal for short term spot marking where the mark needs to be removed by a certain date. Bright colours for maximum visibility yet still with short ground life. Available in 500ml can - 12 cans to a box.

- Use where natural fading out is required
- Environmentally friendly toluene & xylene-free
- Precise operation from safety cap
- High visibility fluorescent markings

Cerise	Yellow	Red	Blue	Orange	Green	White
Ref 301634	Ref 301639	Ref 301637	Ref 301633	Ref 301636	Ref 301635	Ref 301638

APPLICATORS - AEROSOL APPLICATOR RANGE

One of Europe's best ranges of hand held and push-along applicators. Used for the easy and economic application of Meon aerosols. Made from durable materials for maximum use and durability.

Description:	Hand Gun	Hand Gun - Long Reach	2/4 Wheel Applicator	
Product Ref:	600101	600102	2 wheel - 600111	4 wheel - 600190
Compatible with:	500 and 750ml	500ml and 750ml	500ml and 750ml	

REFLECT LIGHT - REFLECTIVE AEROSOL SPRAY

Revolutionary reflective spray. Slightly visible by day but full retroreflectivity during darkness. Suitable on all materials.

Product Ref:	310602
Application Method:	Aerosol Spray
Packaging:	500ml - 12 cans / box

PHOTO LIGHT - PHOTO LUMINESCENT AEROSOL

High performance photo luminescent aerosol. Simply spray on for high visibility markings that glow 10 times brighter in the dark. Works on all interior and exterior surfaces.

Product Ref:	310603
Application Method:	Aerosol Spray
Packaging:	500ml - 12 cans / box

SIGLITE - 360° GLASS INSET ROAD STUD

Inset road studs take another step forward in the road marking sector with these Siglite glass inset road studs. A durable cost effective stud which improves road safety for the road user. A huge list of features makes this high performing road stud stand out in the market and on the road.
Made of fully tempered glass that gives optimum impact resistance and utilises rainfall for cleaning.
Being glass the stud is abrasion resistant and does not require removal before road planing.

- At least 50% reduction in spoil on installation.
- Require 90% less grout than traditional insets
- 50% quicker to install than traditional insets
- All round visibility - no limited “approach angle”
- Certified - full R1/S1 ratings
- Weighs only 520g, easier handling and transportation

Stud Height:	14mm	Packaging:	24 per box

B = Blank

Ref 150226

Ref 150227



Ref 150228

Ref 150232


Ref 150233

Other colour variations also available for special order

YOU MAY ALSO NEED:

K2 Stud Adhesive	Polymer Modified Stud Adhesive	ProMarker White	V-lip Galvanised Bucket
650g - Ref 200230	20kg - Ref 200211	750ml - Ref 301623	3 Gallon - Ref 630403
(see page 81 for more)	(see page 81 for more)	(see page 77 for more)	(see page 89 for more)

DEPRESSIBLE STUDS - RUBBER INSET ROAD STUD

The traditional 'cats-eye' insert for the halifax steel stud housing. A permanent but cost effective solution with P1B approvals. Available in either white or black body and approved for use on all types of road.

- Self cleaning lens design
- Easy to insert and replace
- Resistant and durable

Packaging:	50 per bag
Material:	Rubber stud - glass eye

B = Blank

Ref 150222 | Ref 150220 | Ref 150221 | Ref 150223 | Ref 150219

Other colour variations also available for special order

TEMPORARY - TEMPORARY STICK-ON ROAD STUDS

Tough moulded road studs with micro prismatic reflectors and highly visible body. Used for traffic management and temporary roadway situations. Suitable for use on all road surfaces. Available with or without self adhesive pad according to preferred application.

- Fast, simple application
- Quick cost effective guidance solution
- Easily removable

Application:	Stick on
Packaging:	Boxed in quantities of 200

B = Blank

Ref 150403 | Ref 150401 | Ref 150402 | Ref 150405 | Ref 150406

STIMSONITE 980 - STICK-ON ROAD STUDS

The 980 is an extremely bright option that has removed the worry of durability. The self cleaning lens has been improved making for better more reliable results on road surfaces.

S1 - 100% retention
R1 - 407 mcd/lux

- Improved self cleaning lens
- Extended brow for lens protection
- Long lasting - stay brighter for longer
- Light weight - from only 11 grams per stud

Packaging:	100 per box
Stud Material:	Plastic

Ref 150205 | Ref 150201 | Ref 150203 | Ref 150202 | Ref 150204 | Ref 150208 | Ref 150209

Ref 150207 | Ref 150206 | Ref 150210

STUD GROUT - ROAD STUD ADHESIVE

Specially selected hot melt adhesive for the application of both surface mounted and inset studs.

	Polymer Modified	Standard	K2 Stud Adhesive Kit
Product Ref:	200211	200242	200230
Size:	20kg	20kg	650g
Uses:	Surface mounted	Inset Studs	Inset Studs

20kg of bitumen is enough for approx 200 stick-on studs or 75 pelistuds

PELISTUDS - NON-REFLECTING ROAD STUDS

Carefully produced crossing studs used in a wide variety of circumstances. All complete with stem for firm anchor fixing. Smaller studs for demarcation in architectural and specialist applications.
Available in brass or stainless steel with a domed top.

Product Ref	Material	Size:	Finish Type
150215	Aluminium	100x100mm Square	Smooth
150217	Aluminium	100mm Circular	Ribbed
150212	Aluminium	100x100mm Square	Ribbed
150216	Stainless steel	100x100mm Square	Smooth
150218	Stainless steel	100x100mm Square	Ribbed
150213	Brass	25mm Circular	Smooth
150214	Stainless steel	25mm Circular	Smooth

TAC TILES - SURFACE MOUNTED TAC TILE

Surface mounted Tac Tile pads are a simple and easy way to upgrade existing surfaces to conform to requirements for the visually impaired. Laid in such areas as pedestrian crossings, street corners and any other similar high risk areas. Internal and external applications with 2 different installation methods.

RESIN APPLIED

Tac Tiles are applied using a 2 part resin adhesive for a strong long lasting bond. Simply mix both parts of resin and spread on required area. Place Tac Tile on adhesive for final bonding process.
Can be used internally or externally.



THERMOPLASTIC RIBS - PREFORMED RAISED RIBS

Very popular and easy to apply preformed rib lines for new work and reconstruction. Can be used in conjunction with hot applied thermoplastic or laid retrospectively giving an audible warning to drivers.
100 pieces in a box, available from stock.

Size:	150mm	200mm
Product Ref:	340701	340702
Colour:	White	White

DYE SACHETS - THERMOPLASTIC DYE SACHETS

Simply add a bag of dye to thermoplastic screed to produce your desired colour. Saves stock of little used colours, separate boilers and multiple ordering.
Each sachet contains enough to colour 1 x 20kg bag of base grade thermoplastic.

- Save carrying stock of colours
- Use with base grade for best results
- Use one boiler for several colours

Red	Green	Black	Blue	Yellow
Ref 570864	Ref 570862	Ref 570863	Ref 570861	Ref 570865

SCREED - THERMOPLASTIC SCREED

High quality grades of thermoplastic, suitable for screed or extrusion. High performance reflective white for improved road safety at night – outperforms BS EN1436 criteria.
Standard thermoplastic screed also available for off highway work.

Description:	Standard Screed	Reflective Screed
Packaging:	20kg	20kg
Colour:	White Ref 570857	White Ref 570859
	Yellow Ref 570858	

THERMAMARK - PREFORMED THERMOPLASTIC SYMBOLS

ThermaMark is a unique brand of road markings and symbols. The range is manufactured to the precise colour and dimension requirements of the Traffic and Road Signs General Document 2002. They provide an easy to apply guaranteed way of conformance that removes the need for detailed hand application and colour mixing. Ideal for gateway markings, obstacle approaches, speed reinforcement and general markings.

SYMBOL & DIAGRAM VARIANTS:

S45 Disabled

S3 Ped & Child

S2 Pedestrian



S65 Charge Point



Arrows

P1057 Cycle

Characters

Diag 956

Diag 670

Diag 670

Diag 545

Diag 544

Diag 544.1

Many other styles available call 0808 118 1922 today for more

See opposite page for codes and sizes. Many more options also available. Bespoke and custom design also made to order. Call us to discuss your requirements today on 0808 118 1922

THERMAMARK - MATRIX OF PREFORMED SYMBOLS

Product Ref:	Description:	Colour:
340826	S45 Disabled Symbol - 800mm	
340827	S45 Disabled Symbol - 800mm	
340828	S45 Disabled Symbol - 1000mm	
340829	S45 Disabled Symbol - 1000mm	
340830	S45 Disabled Symbol - 1400mm	
340831	S45 Disabled Symbol - 1400mm	
340848	S3 Pedestrian & Child Symbol - 1000mm	
340832	S2 Pedestrian Symbol - 600mm	
340833	S2 Pedestrian Symbol - 600mm	
340834	S2 Pedestrian Symbol - 800mm	
340944	S2 Pedestrian Symbol - 800mm	
340835	S2 Pedestrian Symbol - 1000mm	
340836	S2 Pedestrian Symbol - 1000mm	
341041	S65 Electric Charge Point - 1050mm	Custom
341039	Electric Vehicle Logo - 800 x 680mm	
341289	Electric Vehicle Logo - 1500mm	Custom
341295	Straight Arrow P1038 - 1000mm	
340849	Straight Arrow P1038 - 1400mm	
340850	Straight Arrow P1038 - 2000mm	
340852	Turn Arrow - P1038 - 1400mm	
340853	Turn Arrow - P1038 - 2000mm	
340854	Turn Arrow - P1038 - 3000mm	
340855	Turn Arrow - P1038 - 4000mm	
340822	P1057 Cycle Symbol - 500 x 800mm	
340823	P1057 Cycle Symbol - 750 x 1215mm	
340824	P1057 Cycle Symbol - 1180 x 1780mm	
340825	P1057 Cycle Symbol - 1700 x 2750mm	
340890	Diag 956 Cycle/Ped Roundel - 750mm	
340891	Diag 956 Cycle/Ped Roundel - 450mm	
341573	Diag 670 - 50mph - 2500 x 1500mm	
341574	Diag 670 - 40mph - 2500 x 1500mm	
341575	Diag 670 - 30mph - 2500 x 1500mm	
341576	Diag 670 - 20mph 2500 x 1500mm	
341577	Diag 670 - 50mph 3200 x 1500mm	
341578	Diag 670 - 40mph 3200 x 1500mm	

Product Ref:	Description:	Colour:
341579	Diag 670 - 30mph 3200 x 1500mm	
341580	Diag 670 - 50mph 4300 x 1500mm	
341581	Diag 670 - 40mph 4300 x 1500mm	
341582	Diag 670 - 30mph 4300 x 1500mm	
341583	Diag 670 - 20mph 750mm	
341584	Diag 670 - 10mph 750mm	
341585	Diag 670 - 5mph 750mm	
341586	Diag 670 - 20mph 1200mm	
341587	Diag 670 - 10mph 1200mm	
341588	Diag 670 - 5mph 1200mm	
341589	Diag 670 - 50mph 2500 x 1500mm	
341590	Diag 670 - 40mph 2500 x 1500mm	
341591	Diag 670 - 30mph 2500 x 1500mm	
341592	Diag 670 - 20mph 2500 x 1500mm	
341593	Diag 670 - 50mph 3200 x 1500mm	
341594	Diag 670 - 40mph 3200 x 1500mm	
341595	Diag 670 - 30mph 3200 x 1500mm	
341596	Diag 670 - 50mph 4300 x 1500mm	
341597	Diag 670 - 40mph 4300 x 1500mm	
341598	Diag 670 - 30mph 4300 x 1500mm	
341599	Diag 670 - 20mph 4300 x 1500mm	
341600	School Crossing Dia.545 - 1200 x 1200mm	
341601	Ped Crossing Dia.544 - 1200 x 1200mm	
341602	Ped in Road Dia.544.1 - 1200 x 1200mm	
341603	School Crossing Dia.545 - 2500 x 1500mm	
341604	Pedn Crossing Dia.544 - 2500 x 1500mm	
341605	Ped in Road Dia.544.1 - 2500 x 1500mm	
341606	School Crossing Dia.545 - 3030 x 1200mm	
341607	Ped Crossing Dia.544 - 3030 x 1200mm	
341608	Ped in Road Dia.544.1 - 3030 x 1200mm	
341609	School Crossing Dia.545 - 4040 x 1600mm	
341610	Ped Crossing Dia.544 - 4040 x 1600mm	
341611	Ped in Road Dia.544.1 - 4040 x 1600mm	
341612	School Crossing Dia.545 - 4300 x 1500mm	
341613	Ped Crossing Dia.544 - 4300 x 1500mm	

A-Z/0-9 also available - sizes vary from 150mm upwards

THERMAMARK - PREFORMED PLAYGROUND MARKINGS

ThermaMark is a unique brand of preformed thermoplastic playground markings. ThermaMark is simple and easy to apply with amazing durability but still offering excellent value for money. The vibrant design and colours encourage interaction on the playground, offering great educational activities which inspire the students further whilst playing.
Many designs available or why not create your own? Supplied ready to lay, offers good slip resistance and great durability.





Product Ref:	Description:	Size:
342592	ThermaMark Plus Playground Caterpillar	3748 x 896mm
342593	ThermaMark Plus Playground Caterpillar	2500 x 600mm
340858	ThermaMark Playground Hopscotch Coloured	800 x 2800mm
342544	ThermaMark Plus Playground Hopscotch	3500 x 1000mm
342609	ThermaMark Playground 8 point Compass	3000mm
342610	ThermaMark Playground 4 point Compass	3000mm
342520	ThermaMark Plus Snakes & Ladders 1-25 Solid Panel	2000 x 2000mm
342522	ThermaMark Plus Snakes & Ladders 1-36 Solid Panel	2400 x 2400mm
342556	ThermaMark Plus Playground Diagram Target Board	3500mm
342557	ThermaMark Plus Playground Diagram Target Board & Lines	3000 x 5500mm

Many more options available. Bespoke and custom design also made to order. Call us to discus your requirements today on 0808 118 1922.

HAND MOULDS - HAND MOULD APPLICATORS

Solid formed 3mm steel applicators for the application of poured material to horizontal surfaces, simply apply liquid and drag. Different sizes for final width of product. Used for crack infill, overbanding and linemarking.

Product Ref:	Width:	Length:	Style:
600154	40mm	100mm	Funnel top
600157	50mm	100mm	Funnel Top
600158	50mm	100mm	Standard open
600159	75mm	100mm	Standard open
600160	100mm	100mm	Standard open
600161	150mm	100mm	Standard open
600162	200mm	100mm	Standard open

Many other sizes available from stock - call today for more information

GAS TORCH - STANDARD TORCH APPLICATOR

Turbo gas torch supplied ready to attach to gas supply. Ideal for warming thermoplastic material and applying preformed markings. Includes 5m metal overbraided hose for safety and 0 - 4 bar regulator.

Head Type:	Single	Double
Product Ref:	600418	600417
Lance Length:	600mm	600mm
Head Diameter:	51mm	51mm



WARMING TORCH - DUTCH TURBO TORCH

Heavy duty hand held general purpose gas torch fitted with ¼" bespoke ball valve and 6mm barbed tail piece for easy connection to gas supply.

- Heavy duty and robust
- Ideal for general use on screed trucks

Product Ref:	600401
Handle Length:	600mm



BEAD DISPENSER - REFLECTIVE BEAD APPLICATOR

High quality hand dispenser for the application of glass beads to surface markings for increased reflectivity. Facilitates even and simple distribution. Can be used for application of small anti-slip aggregate where required.

- Even bead distribution
- Robust and long lasting

Product Ref:	Style:
600166	Hand Activated Bead Dispenser

TAKE OFF TRAYS - THERMOPLASTIC WASTE CATCHMENT

Durable take off tray complete with long handle - used for accurate line finish and precise thermoplastic application.

Product Ref:	600165
Size:	300mm deep x 400mm wide
Handle Length:	900mm
Material:	16 gauge steel

MOULD HEATER - HAND MOULD HEATERS

Special construction hand mould heater for warming of hand moulds. Fitted with high output gas burner head with simple connection.



Type:	Standard	Large
Product Code:	600402	600416
Size:	400 x 400mm	470 x 340mm
Depth:	100mm	390mm

POURING JUGS - THERMOPLASTIC POURING JUGS

Specially designed, easy to use pouring jugs that work well with applicable material. Design features include a single piece lip to ensure a smooth pour and well balanced weight distribution.

- High quality, longer lifespan
- V-shape lip - minimal dripping

Product Ref:	630428
Size:	1 Gallon

BUCKETS - GALVANISED AND COMPOUND BUCKETS

Carefully selected range of galvanised buckets suitable for the application of bitumen related products. A choice of styles available with the option of a v-lip for thermoplastic use.

Product Type:	Product Ref:	Size:
V-Lipped	630403	3 Gallon
Standard	630402	3 Gallon
Compound	630407	3 Gallon

BOLSTERS - HEAVY DUTY HARDENED BOLSTERS

Heavy duty hardened bolsters. Two options available depending on your application. Long handled is great for easy removal of excess thermoplastic or temporary studs. The short handled bolster with rubber guard and shock handle is simple but effective - great for general use.

Type:	Long Handled	Standard Bolster
Product Ref:	630243	630217
Length:	1500mm	150mm
Head Width:	100mm	100mm

HCA LANCE - HOT COMPRESSED AIR LANCE

HCA Hot Compressed Air Lance (HCA) used for the removal of thermoplastic road markings - the essential component for air lance equipment. Made from long life inconol and with 3/4" BSP end fittings, it makes for the perfect road marking paint removal tool. Comes complete with spark plug - also available separately. Operates a noice level of approx 115 dB(A).

Product Ref:	Item:
600403	HCA Lance
600951	Spark Plug
600405	10m Lance Hose
600406	20m Lance Hose
600407	Mixer Unit (Cabinet)
600408	Mixer Unit (Basic)

(Cabinet)



(Basic)

A choice of Hoses, mixer units and other accessories also available

TINGLER STARTER BOXES - HCA START UP BOX

Tingler starter boxes for HCA Lance start up. Three versions available, croc clip to batter starter, 5-pin socket battery connectors or hand held cordless for effortless start up.

- Prevents risk of burns and shock to operator

Tingler Starter Box Standard (Clips)	600411
Tingler Starter Box with Plugs	600410
Flint Style Starter Box	600409

(Plugs Style)

(Flint Style)

BUCKET FURNACE - GAS FIRED HEATER



Value for money, self supporting boiling ring and burner, for use with a compound bucket ready for direct connection to gas supply. Hose and regulator included.

Product Ref:	Ring Type:
600423	Single

BITUMEN BOILERS - GAS FIRED MATERIAL HEATER

Single or double skin boilers, purpose made for bitumen heating and application. 2" (50m) tap bore option also available for decanting. Can be supplied with agitators to prevent thermoplastic burning.

Product Ref:	Boiler Type:
600428	10 Gallon - Single Skin
600427	10 Gallon - Double Skin
600429	25 Gallon - Double Skin
600431	40 Gallon - Double Skin
600433	60 Gallon - Double Skin
641003	25 Gallon - Double Skin c/w agitator & pouring spout

BURNERS - GAS FIRED BURNERS

Professional, plug and go gas burners for use under boilers and heaters. Connect to hose, regulator and gas supply.

Product Ref:	Size	Fits
600419	Small	5-7 gallons
600420	Medium	10-25 gallons
600421	Large	40-60 gallons



SPEEDPRAM - THERMOPLASTIC HAND BARROW

Colour may vary

Used for the application of thermoplastic lines. The Speedpram has been well tested and meets every question asked of it by the user. Efficient and easy to clean, Meon can guarantee supply to a professional standard, backed up by service and parts.

- High quality, made from durable materials
- Cost effective saving you time and money

Size:	10 Gallon	16 Gallon
Product Ref:	600701	600702

PRAM SHOES - THERMOPLASTIC HAND BARROW SHOE

Tungsten tipped machine shoe for the clean application of thermoplastic via hand barrows. Gate type shutter with simple lever operation. Taylor type shoe.

- Scott type also available - Please Enquire

Width:	100mm	200mm
Product Ref:	600802	600803

MACHINE TORCHES - THERMOPLASTIC HAND BARROW TORCH

Gas burner modified for use on hand barrow or warming line applicator, two lengths available from stock.

Product Ref:	600818	600817 - Illustrated
Burner Type:	Bullfinch 1230	Bullfinch 1240
Burner Length:	165mm	310mm



MIGHTYLINE - DURABLE PVC LINING AND MARKING TAPE

Extremely durable PVC lining and boundary marking tape, largely used in warehouses and facility distribution centres. Very heavy duty with excellent resistance to heavy use. Quick and easy application with the added extra of easy removal when required.
Huge benefits and advantages make this system become a 'no-brainer' for some of those situations you always wanted a solution for.

- Durable thick finish
- No production down time
- Easily removed if required

Roll Widths	50 and 100mm	
Roll Length:	30m	
Compatible Substrates:	Asphalt and Concrete	
Colours Available: Other colours and styles available on request	White 50mm Ref 340103 100mm Ref 340101	Yellow 50mm Ref 340104 100mm Ref 340102

FLOOR TAPE - HIGH QUALITY SELF ADHESIVE FLOOR TAPE

Self-adhesive PVC tape with high tack adhesion for floor marking in warehouses, walkways and more. Available in both plain and diagonal print depending on your desired application.

- Strong adhesive backing increases life span
- Quick and easy application
- Very little down time

Roll Widths:	50mm
Roll Length:	33m
Compatible Substrates:	Concrete, vinyl and wood

Colours Available:

Ref 340110	Ref 340107	Ref 340108	Ref 340111	Ref 340109
Ref 340112	-	-	-	

ROMARK - TEMPORARY ROAD TAPE

The simple answer to a temporary project for the purposes of demarcation or traffic control. Often used for trial projects or one off event management. Simple and easy application by hand. Full reflectivity for good all round visibility.

- Good slip resistance properties
- Easy application

Roll Widths	50, 100 mm	
Roll Length:	50 m	
Compatible Substrates:	Asphalt and Concrete	
Colours Available:	White 50mm Ref 340113 100mm Ref 340115	Yellow 50mm Ref 340114 100mm Ref 340116

Black temporary tape also available upon request (special order)
150mm x 50mtrs

ANTI-SLIP TAPE - SLIP RESISTANT SELF ADHESIVE TAPE

Tough, hard-wearing, non-slip tapes with a strong adhesive backing. Increases function and works on irregular surfaces.

- For internal and external use
- Quick and easy application
- High anti-slip values

Roll Widths	50mm	
Roll Length:	18.3m	
Compatible Substrates:	Wood, Metal, Concrete and More	
Colours Available: Other colours and sizes available for special order	White Ref 340118	Yellow Ref 340119
	Ref 340120	Black Ref 340117

MASKING TAPES - GAFFER AND MASKING OUT TAPE

Two favourite ways of masking areas and lines, both held in stock at Meon for immediate despatch.

Gaffer Tape:

Waterproof cloth tape, strong adhesive for masking on all surfaces, withstands paint and is excellent for resin.

Paper Masking Tape:

High tack tape for general purpose application - quality grade.

- Bulk discount options available
- Many different sizes available from stock
- All rolls 50m in lengths

Product Type:	Gaffer Tape	Masking Tape
Product Code:	50mm - 610132 75mm - 610133 100mm - 610134	25mm - 610135 50mm - 610136

REFLECTIVE TAPE - SELF ADHESIVE REFLECTIVE TAPE

Low intensity, reflective tape that improves visual definition and reaction. Self-adhesive backing for multi-use applications such as fire points, traffic bollards, vehicles, signs and more. Reflects direct light.

- 50mm wide x 50m long
- Fast and simple application
- High tack adhesion

Roll Widths	50mm	
Roll Length:	50m	
Compatible Substrates:	Concrete, metal and plastic	
Colours Available:	White Ref 340122	Yellow Ref 340123
	Ref 340124	Red Ref 340121

MIXING PADDLES - PAINT AND RESIN MIXING ATTACHMENTS

Mixing paddle attachments for use with a high powered drill. Simply attach the paddles to the drill using the hexagonal core and away you go. The perfect way for mixing resin and paint systems.

- Hex shafts fit directly into drill chuck
- Good quality and value for money

Product Ref:	Length:	Head Diameter:	Core Diameter:	Batch Size:
600210	400mm	80mm - Metal	8mm	5 - 10kg
600211	600mm	100mm - Metal	10mm	10 - 20kg
600212	600mm	120mm - Metal	10mm	20 - 30kg
600221	650mm	135mm - Metal	M14 - threaded	25 - 40kg
600227	600mm	210mm - Rubber	10mm	5 - 30kg
600228	600mm	210mm - Rubber	M14 - threaded	5 - 30kg

RESIN MIXER - FORCED ACTION PAN MIXER

The forced action pan mixer is ideal for mixing many materials, but mainly used with DekorGrip Resin Bound, Rubber Crumb and Mulch systems. Very effective machine, ideal where great demands are placed on fast and homogenous mixing of materials.

- 110v 2.2KW motors to ensure mixer can operate safely all day
- Mixers alternatively are available for hire

Mixer Sale:	600301
Mixer Hire:	940231

POWERED WHISK - HEAVY DUTY MIXING WHISK

A quality, durable twin handled 110volt mixing whisk/paddle - ideal for mixing MMA, paints, resin based products and also many of the DekorGrip systems.

- Reduced fatigue - No need to bend whilst mixing
- Creates a very consistent smooth mix
- Reduced noise and vibration

Product Ref:	600306

SQUEEGEES - POLY BLADE SERRATED AND FLAT SQUEEGEES

Quality squeegees with either plain or serrated blades for the effective application of resin and paint. Serrated blades supplied in extremely tough neoprene for even distribution, long term durability and to withstand regular cleaning.
Save Money - Replacement blades available. When blades become old and worn, just give us a call and we will get a replacement blade organised for you.



- Excellent value
- Easy to use
- Light weight
- Extremely tough
- Long term durability
- Replacement blades available

Head Width:	Blade Type:	Head Type:	Serration Depth		
280mm	Blue Neoprene - Serrated	Metal	4mm - 600192	6mm - 600193	8mm - 600194
450mm	Blue Neoprene - Serrated	Metal	4mm - 600222	6mm - 600223	
560mm	Blue Neoprene - Serrated	Metal	4mm - 600148	6mm - 600150	8mm - 600149
300mm	Black Rubber - Flat	Wooden	0mm - 600128		
600mm	Black Rubber - Flat	Wooden	0mm - 600127		

TROWELS - RESIN APPLICATION TROWELS

Our range of OX Trowels available to help you obtain a perfect finish every time with minimal effort. Resin trowel for resin bound, carbon steel trowel for general trowelling and the bucket trowel to help you completely empty resin buckets when mixing.



Trowel Type:	Product Ref:	Size:
A - Resin Trowel	600153	100 x 450mm
B - Carbon Steel Trowel	600214	120 x 280mm
C - Bucket Trowel:	600213	50 x 125mm

ROLLERS - HEAVY DUTY AND MEDIUM PILE ROLLERS

Heavy duty medium pile rollers for application of paint - particularly suited to best 'pick-up' for anti-slip coatings. Available in many widths, roller types and styles. Supplied complete or in parts, trays to suit.

Product Ref:	Size:	Description:
600123	100mm	Long arm rad roller frame
600119	100mm	Medium pile refill (pk 10)
600124	230mm	Push on frame
600120	230mm	Medium pile refill
600126	300mm	Quality paint roller frame
600121	300mm	Medium pile refill
600117	1200mm	Pole handle for frames
630205	100mm	Plastic roller tray
630206	425mm	Plastic roller tray
630305	300mm	Resin primer application kit
630304	100mm	Mini roller set

PAINT BRUSHES - PREMIUM QUALITY PAINT BRUSHES

Premium quality paint brushes with long life bristles and handles. Long cranked handle paint brush ideal for cleaning tools and paddles during application.

Product Ref:	Width	Style
600112	50mm	Standard
600113	75mm	Standard
600114	100mm	Standard
600191	50mm	Long cranked handled brush

SCRAPERS - SOLID BLADE FLOOR SCRAPERS

Scrapers constructed from precision ground, solid blades with hardwood handles. Floor scraper incorporates resharpenable blade and 1040mm long handle.

Style	Floor	Hand	Hand	Hand
Blade Width	100/180mm	50mm	75mm	100mm
Product Ref	630314	630201	630202	630203

BRUSHES - YARD BROOMS AND WIRE BRUSHES

Using our experience over the years has narrowed down a massively diverse range of brooms to a select few, purpose made for the industry and stocked in quantity at Meon. Every broom has a metal clamp, socket or stay to maximise lifespan and reduce breakage. Supplied in parts if required. Wire brooms ideal for keying smooth surfaces or removing flakey coatings.

Product Ref:	Description:	Head Width:
630116	Long handled wire broom	225mm
630204	Short handled wire brush	130mm
630110	Yard Broom Blue Poly	330mm
630117	Yard Broom Quality Bass Bristle	330mm
630113	Broom Stiff-Hard	450mm
630114	Broom Stiff-Hard	600mm
630111	Broom Soft	450mm
630112	Broom Soft	600mm

ROPES - GENERAL PURPOSE AND SETTING OUT ROPES

General and specialist ropes in a variety of lengths, types and presentations for multiple applications.

Blue Poly Rope:
Strong, durable and economical 3 strand rope, resistant to UV. Available in different lengths.

Sashcord Rope:
Strong yet supple cotton rope selected especially for setting out roadmarkings.

Product:	A - Blue Poly	B - Blue Poly	C - Sashcord
Length:	220m	500m	200m
Diameter:	6mm	6mm	8mm
Ref:	630248	630249	630250

LEADED SASHCORD ROPE

Weighted supple sashcord rope, ideal for blustery conditions.

Ref 610150 - 100m - 5kg



MEASURING TAPES - OPEN AND CLOSED HAND TAPES

Made from durable materials and built to last. If you are looking for a quality reliable tape then look no further - these are the tools for you.
Available in a variety of different sizes depending on your requirements.

Product Ref	Length
610401	5m
610402	8m
610404	Big T 8m

Product Ref	Length	Tape Material	Case Frame
610405	30m	Fibreglass	Closed
610406	30m	Fibreglass	Open
610407	50m	Fibreglass	Open
610408	100m	Fibreglass	Open
610409	30m	Steel	Open
610410	50m	Steel	Open
610411	100m	Steel	Open

MEASURING WHEELS - LONG DISTANCE MEASURING WHEEL

Fast and accurate measurement of distance using the Meon range of road wheels. Lightweight for easy transportation yet rugged enough to withstand site conditions. Can be used on most smooth or uneven surfaces over long or short distances.

1000 Econo Deluxe: (blue)
Heavy duty wheel with essential features, built to meet the demands of marking life.

Classique Professional: (orange)
The most robust and durable measuring wheel available in today's market. Laden with easy to use and relevant features.

Type:	A - 1000 Econo	B - Professional
Product Ref:	610414	610412

CHALKS - GIANT ROAD MARKING CHALKS

Quality extruded road chalk that does not crumble or leave your hands messy. Precisely engineered and serves as a general marker on most hard surfaces, mainly tarmac and concrete. Ideally suited for premarking for paint work.



Box Quantity:	72
Colours:	White – Ref 610108; Yellow – Ref 610109

CRAYONS - HEAVY DUTY ROAD MARKING WAX CRAYONS

The nation's favourite marking stick. Quality extruded wax crayons for setting out road markings.

Box Quantity:	12 Sticks/box
Colours Available:	White – Ref 610123; Yellow – Ref 610124; Black – Ref 610121; Red – Ref 610122; Blue – Ref 610119; Green – Ref 610120

GIANT LINE - REFILLABLE CHALK LINE

Professional heavy duty refillable chalk line designed for regular use and rugged treatment. 50m x 2mm braided poly-cotton line with end ring.

Product Ref:	610139

CHALK POWDER - PREMARKING CHALK POWDER

Standard calcium carbonate powder for use with the giant chalk line. Packaged in different sizes for your convenience.

Colours Availalable:	White – 3kg - Ref 610105; White – 25kg - Ref 610106

DIGGING TOOLS - QUALITY DIGGING TOOLS

Here at Meon we have a varied range of quality digging tools available. From the standard steel handled shovel to fully insulated specialist spades and forks.

STEEL

Steel handled digging tools are the markets standard range of digging tool. Made from high tensile steel tube for reduced vibration, better performance and durability.

POLY FIBRE

Poly fibre handled digging tools are one of the best offered ranges on the market. This range offers you specifically engineered tools built to last whilst giving you a stronger more effective tool.



INSULATED

Shocksafe tools, conforming to BS8020, each tested to 10,000 volts, uniquely numbered and certified. This range offers total peace of mind when working near high power lines or cables.



Blade Type:	Steel	Poly Fibre	Insulated
Square Mouth	630128	630135	630144
Taper mouth	630129	630136	630145
Trenching	630125	630134	630141
Cable Laying	630126	630132	630142
Grafting	630124	N/A	630140
Newcastle Draining	630127	630133	630143
Trenching Fork	630131	630149	630148
Long Handled Spade	N/A	N/A	630137

PUNNER - SQUARE HEADED PUNNER

Heavy duty square headed punner for the easy compaction of tarmac and other similar substances.

- Durable - stands up to heavy treatment
- Available from stock today

Product Ref:	630155
Head Size:	130mm sq
Handle Length:	1400mm

CONE SIGNS - DURABLE PLASTIC CONE SIGNS

A popular and versatile range of durable plastic cone signs. Conforming to Chapter 8 requirements, they are simply slipped over the top of either a 600mm or 750mm traffic cone. Cone signs are much lighter than other signage options making transportation and storage hassle free. Made from 100% recycled material, reducing scrap value and is therefore less likely to be stolen.

- Quality sturdy design
- Easily transportable

PLEASE CALL FOR MORE SIGN DESIGNS AND PRICES

CONES - ROAD TRAFFIC CONES

A wide range of cones conforming to Highway specifications on all higher speed roads such as BS:EN13422. Cost effective everyday contractors cones, partly made from 100% recycled materials with a highly reflective sleeve. Available in a variety of heights and styles depending on user requirments.

Description:	Height:	
One Piece	450mm - 100101	750mm - 100103
Two Piece	750mm - 100106	1000mm - 100108
No Waiting	525mm - 100113	
Reflective Sleeves	750mm - 100111	1000mm - 100112

BARRIER TAPE - SITE PERIMETER TAPE

Barrier tapes that act as a visual deterrent and caution in almost any circumstance. Extra strong grades available. Printed barrier tapes increase the message.

Size:	70mm x 500m	
Grade:	Standard or Super Grade	
Colours:	Stnd Ref 100301 Supr Ref 100303	Stnd Ref 100302 Supr Ref 100304

SPEED RAMPS - SPEED RESTRICTION RAMPS

Meon Speed Ramps combine highly effective speed restrictions with great visibility during both day and night. Its universal dog bone connectors allow it to be tailored to any size you require. Made from 100% recycled solid rubber making it sustainable in addition to being durable and hard wearing.
The solid rubber is made to withstand vehicles weighing up to 40 tonnes and mid sections are fitted with "Cats Eye" reflectors, giving better all-round night visibility.

Ramp Length (mm)	Inners		End Caps		Fixings	Dogbone
	Black	Yellow	Black	Yellow		
1930	1	2	2	-	16	8
2430	2	2	1	1	20	10
2930	3	2	-	2	24	12
3430	3	3	1	1	28	14
3930	3	4	2	-	32	16
4430	4	4	1	1	36	18
4930	5	4	-	2	40	20
5430	5	5	1	1	44	22
5930	5	6	2	-	48	24
6430	6	6	1	1	52	26
6930	7	6	-	2	56	28
7430	7	7	1	1	60	30
7930	7	8	2	-	64	32
8430	8	8	1	1	68	34
8930	9	8	-	2	72	36
9430	9	9	1	1	76	38
9930	9	10	2	-	80	40

- Provides excellent all night visibility with integral white reflectors

- Free supply of dog bone connectors prevents individual sections migrating
- Universal application: Suitable for both concrete and asphalt

- High protection: Incorporates cable channel
- Manufactured from hd Thermoplastic, will withstand 40 tonne HGV's

- Increase productivity: Quick and easy to install

Ramp Height	Approach Speed
50mm	10mph
75mm	5mph



Black - Mid	Yellow - Mid	Black - End	Yellow - End
50mm Ref 100203	50mm Ref 100204	50mm Ref 100205	50mm Ref 100206
75mm Ref 100207	75mm Ref 100208	75mm Ref 100209	75mm Ref 100210

SAFETY RAMPS - PEDESTRIAN AND VEHICULAR ACCESS

Maintain constant access during works using the Meon selected range of covers and ramps. All carefully selected to ensure confidence for the contractor and other user.

Available in a range of colours and finishes for corporate identity and reduced theft

Type:	Product Ref
Safetycross:	100201
Kerbhopper:	100202

SAFETYCROSS

Highly versatile temporary trench cover for maintenance of access during works. Sturdy GRP composite construction with slip resistant finish. Tested to 2 tonnes. (Weighs 12kg - 1200 x 800mm)

KERBHOPPER

Lightweight ramp for the maintenance of disabled and pedestrian access during closed footway works.
(1130 x 750mm)

TARPAULINS - QUALITY RANGE OF COVERS AND SHEETING

A selection of tarpaulins available varying from light duty water resistant to fully insulated.
Call today on 0808 118 1922 for full spec, sizes and pricing.

STANDARD

Strong laminated polyethylene tarpaulin, fully hemmed with rust resistant eyelets at intervals.

Polyester Blue:
4.8m x 3.6m 630223

JUTE

Waterproof jute tarpaulins with double sewn seams, hemmed edges, eyeletted and roped at aprrox 1.8m intervals.

3.6 x 2.7m:	630224
5.4 x 3.6m:	630225
7.2 x 5.4m:	630226

INSULATED JUTE

Top quality PVC coated polyester tarmac sheets with insulation for extended material usage.

Economy - 3.6 x 2.7m:	630227
Heavyweight - 3.6 x 2.7m:	630228

Cottonduck underside and ¼" thick polyester infill

METAL SIGNS - ZINTEC SIGNS AND SIGN FRAMES

Large range of durable metal sign frames available from Meon. Made from coated steel angle with folding support legs - cross braced for extra stability. Supplied in many sizes to fit any sign plate. Quick Fix sign frames also available.

- Made from durable coated steel angle
- Proven versatile design
- Huge variety available

Hundreds of sign plate variants available. View online or call 0808 118 1922 to order

CHOOSE YOUR FRAME

CHOOSE YOUR SIGN



plus many more

WHEELBARROW - SINGLE PIECE STEEL WHEELBARROW

The strongest, single piece pressed steel barrow. 90ltr heavy duty gauge, galvanized press pan on durable tubular support frame. 4 ply tyre and inner tube with rolled, wide-edged pan lip.

Product Ref:	630222
Capacity:	90ltr
Colour:	Black

TARBUSTA - BITUMEN REMOVER AND RELEASE AGENT

Eco-friendly release agent and tool cleaner specifically formulated to breakdown bituminous and tar materials. TarBusta is manufactured from recycled materials and provides a more environmentally-friendly alternative to traditional use of diesel, for quick and effective cleaning of equipment, or as a release agent for truck beds, wheel barrows and other tools.

- Manufactured from recycled materials
- Non-hazardous
- Available in a variety of sizes
- Acts as a protective agent

Application Method:		
Sizes Available:	25ltr	630621
	200ltr	630620
	1000ltr	630622

DEKORWIPE - TROWEL LUBRICANT

Specially designed trowel lubricant for resin, ensuring your trowel remains clean during application to help reduce fatigue and ensure surface is evenly finished.

Essential For Use With Resin Bound

- Minimal amount required
- Reduces trowel friction
- Use with aggregate and rubber resin systems
- Available in 5kg bucket

Product Code:	580208
Packaging:	5kg Tin

INDEX

Advanced Thinners	29
Aerosol Applicators	78
Aerosol Cleaning Solvent	29
Anti Skid Aggregate	73
Anti-Slip Tape	94
Barrier Tape	103
Basler Bascolin 1:1	19
Basler Bascolin MP12	20
Bauxite Aggregate	73
Bead Dispenser	88
Bitumen boilers	91
BituSeal	39
Black Tack Coat Primer	24
Bolsters	89
Brushes & Brooms	99
Bucket Furnace	91
Buckets	89
Calcined Flint	73
Chalk Lines	101
Chalk Powder	101
Chalks	101
ClearSeal	28
Cone Signs	103
CourtCote	23
Crayons	101
DekorCryl	58
DekorPave	56
DekorWipe	107
Depressible Studs	80
Digging Tools	102
Dutch Warming Torch	87
EcoGrid	54
EdgeFast	39
Edging Profiles	55
Epoxy Thinners	29
Etch Primer	26
Expansion Joints	55
Floor Tape	93
FloorCote1PPU	22
FloorCote2PE	22
Fluo TP	77
FP LinePrimer	25
Gaffer Tape	95
Gas Burner	91
Gas Torches	87
Glass Grain GEC850	73
Glass Grain GEM500	73
Graco Cable Kits	68
Graco Machine Hoses	68
Graco Machine Lubricants	68
Graco Seal Kits	68
Graco Spray Tips	68
Graco Switch Tips	68
GrindLazer 270	67
GrindLazer 390	67
GrindLazer 630	67
Hand Moulds	87
HardMaster W670	41
HardMaster W675	41
HCA Lance	90
HCA Mixer Units	90
HCA Starter Boxes	90
HeatForce 1	70
HeatForce 2	70
K2 Stud Adhesive	81
LineDriver	66
LineLazer V 130HS	64
LineLazer V 200HS	64
LineLazer V 250DC	65
LineLazer V 250SPS	65
LineLazer V 3400	63
LineLazer V 3900	63
LineLazer V 5900	63
LineLazer V 98:2	66
Lutes	60
Machine Hire	69
Machine Servicing	69
MagmaLine R110	32
Masking Tape	95
Measuring Tapes	100
Measuring Wheels	100
Meon Binder/Sealer	24
Metal Signs	106
MightyLine Tape	93
Mixing Paddles	96
Molochite	73
Mould Heaters	88

MultiGrip	14
MultiGrip F240	15
Paint Brushes	98
PatchBound	36
PatchMaster	40
Pelistuds	82
Photo Light	78
Pouring Jugs	89
Powered Whisk	96
ProMarker	77
ProTack	24
ProtectLine	28
PU Thinners 2pk	29
Punner	102
PuraLine	21
Reactive Glass Beads	72
Reflect Light	78
Reflective Glass Beads	72
Reflective Tape	95
Resin Bonded	46
Resin Bound	44
Resin Mixer	96
Road Cones	103
RoadLine	21
Rollers & Trays	98
Romark Tape	94
Ropes - Poly	99
Ropes - Sashcord	99
RouteLine	12
Rubber Aggregate	54
Rubber Crumb	52
Rubber Mulch	50
Safety Ramps	105
Scrapers	98
ScratchCote	27
SF Thinners	29
SigLite Studs	79
SkidGrip	35
Solarlites	60
Spazzles	60
Speed Ramps	104
Squeegees	97
Stencils - DekorGrip	60
Stencils - HD Plastic	74
Stencils - Polypropylene	74
Stencils - Rubber	74
Stimsonite 980 Studs	81
Stud Grout	81
Tac Tiles	82
Take Off Trays	88
TarBusta	107
Tarpaulins	105
Tempo TP	77
Temporary Studs	80
ThermaBand Plus	38
ThermaMark Playground Markings	86
ThermaMark Symbols	84
Thermoplastic Dye	83
Thermoplastic Machine Torch	92
Thermoplastic Pram Shoes	92
Thermoplastic Ribs	83
Thermoplastic Screed	83
Thermoplastic Speedpram	92
Tracing Plus	76
Tracing Spray	76
TrafficLine	6
Tredonit300	28
Tree Pits	48
Trowels	97
Type 2 Thinners	29
UltraClean	29
UltraCrack	37
UltraForce	57
UltraGrip L240	16
UltraLine	10
Ultralux Beads	72
UltraNuvo	34
UltraPrime	27
UltraStripe 50:48:2	18
UltraStripe 98:2	18
UniPrime	26
VersaLine	13
ViaLine	8
Wheelbarrows	106
Zirocco	71

NOTES

MEON UK

TEL: +44 (0)808 118 1922
EMAIL: mail@meonuk.com
WEB: meonuk.com

MEON IRELAND

TEL: +353 (0)1 840 7647
EMAIL: info@meonireland.com
WEB: meon.ie